

Duo  
Guise  
Musa  
North  
Palma  
Structural  
Tempo

VIBIA

Price list July 2018

HOLLAND €



# VIBIA

This is an integration of  
the June 2016 price list

Recommended sales prices - vat not  
included this price list updates models  
and finishes in production, which may  
differ from photographs published  
in catalogue

See terms of sale  
on current price list



Duo  
12

Guise  
6

Musa  
20

North  
14

Palma  
22

Structural  
8

Tempo  
15

Professional Area  
at [vibia.com](http://vibia.com)  
27

Item recoding  
28

Glossary  
29

# Guise

Design by Stefan Diez


Poetic expression of craft, light, technology and mood. Integration of the light and material and making it pass through in such a way that it becomes invisible and then appears out of nowhere.



**IMPORTANT** The glass of this luminaire is made of borosilicate, a low weight robust material, which was manufactured by the state-of-the-art glass floating technology delivering highly homogeneous quality with outstanding optical properties. Due to the melting process and the nature of glass it is typical for the glass to have small air bubbles, some inclusions and tiny scratches. These small imperfections do not affect the quality or the resistance of the glass, and are not a sign of poor quality.

## Wall

### 2260



#### Light Source

1 x LED STRIP 24V 10W.  
LED 3000 K. CRI >90. 871,2 lm. 87,12 lm/W.  
Driver Constant Voltage 24V.  
100-240V. 50/60Hz.  
Dimming: Optical Sensor.

#### Special order options available

- LED 4000 K.  
Min. quantity, surcharge and extra lead time apply.

Electric cable with plug.

#### Materials

Diffuser: Borosilicate glass.  
Body: Aluminum.

#### Packaging


1 Box /  
0,69 x 0,69 x 0,09 m.  
Vol. 0,043 m<sup>3</sup>.  
Gross weight 7 Kg.  
Net weight 4 Kg.

2260 18 /26 Matt graphite lacquer  
(ADAPTA RF9913WX)

815,00 €



### 2262



#### Light Source

1 x LED STRIP 24V 17,2W.  
LED 3000 K. CRI >90. 1504,8 lm. 87,12 lm/W.  
Driver Constant Voltage 24V.  
100-240V. 50/60Hz.  
Dimming: Optical Sensor.

#### Special order options available

- LED 4000 K.  
Min. quantity, surcharge and extra lead time apply.

Electric cable with plug.

#### Materials

Diffuser: Borosilicate glass.  
Body: Aluminum.

#### Packaging

1 Box /  
1,04 x 1,04 x 0,10 m.  
Vol. 0,011 m<sup>3</sup>.  
Gross weight 16,5 Kg.  
Net weight 11,58 Kg.


2262 18 /26 Matt graphite lacquer  
(ADAPTA RF9913WX)

1.845,00 €



Pendants

2270



Light Source

1 x LED STRIP 24V 20W.  
LED 3000 K. CRI >90. 1742,4 lm. 87,12 lm/W.  
Driver Constant Voltage 24V.  
110-240V. 50/60Hz.  
Dimming: Optical Sensor.

Special order options available  
- LED 4000 K.  
- Dimming: DALI or Casambi.  
- Extra cable length.  
Min. quantity, surcharge and extra lead time apply.

Materials

Diffuser: Borosilicate glass.  
Body: Aluminum.


Packaging

1 Box /  
0,87 x 0,35 x 0,37 m.  
Vol. 0,113 m<sup>3</sup>.  
Gross weight 6,5 Kg.  
Net weight 5 Kg.

2270 18 /26 Matt graphite lacquer 1.385,00 €  
(ADAPTA RF9913WX)



2271



Light Source

2 x LED STRIP 24V 20W.  
LED 3000 K. CRI >90. 3484,8 lm. 87,12 lm/W.  
Driver Constant Voltage 24V.  
110-240V. 50/60Hz.  
Dimming: 1-10V.

Special order options available  
- LED 4000 K.  
- Dimming: DALI or Casambi.  
- Extra cable length.  
Min. quantity, surcharge and extra lead time apply.

Materials

Diffuser: Borosilicate glass.  
Body: Aluminum.


Packaging

2 Boxes /  
Total Vol. 0,231 m<sup>3</sup>.  
Gross weight 13 Kg.  
Net weight 10 Kg.

2271 18 /23 Matt graphite lacquer 2.590,00 €  
(ADAPTA RF9913WX)



2272



Light Source

1 x LED STRIP 24V 20W.  
LED 3000 K. CRI >90. 1742,4 lm. 87,12 lm/W.  
Driver Constant Voltage 24V.  
100-240V. 50/60Hz.  
Dimming: Optical Sensor.

Special order options available  
- LED 4000 K.  
- Extra cable length.  
Min. quantity, surcharge and extra lead time apply.

Electric cable with plug.

Materials

Diffuser: Borosilicate glass.  
Body: Aluminum.


Packaging

1 Box /  
1,18 x 0,35 x 0,37 m.  
Vol. 0,153 m<sup>3</sup>.  
Gross weight 7 Kg.  
Net weight 5 Kg.

2272 18 /26 Matt graphite lacquer 1.335,00 €  
(ADAPTA RF9913WX)



2275



Light Source

1 x LED STRIP 24V 20W.  
LED 3000 K. CRI >90. 1742,4 lm. 87,12 lm/W.  
Driver Constant Voltage 24V.  
110-240V. 50/60Hz.  
Dimming: Optical Sensor.

Special order options available  
- LED 4000 K.  
- Dimming: DALI or Casambi.  
- Extra cable length.  
Min. quantity, surcharge and extra lead time apply.

Materials

Diffuser: Borosilicate glass.  
Body: Aluminum.


Packaging

1 Box /  
0,87 x 0,35 x 0,37 m.  
Vol. 0,113 m<sup>3</sup>.  
Gross weight 6,5 Kg.  
Net weight 5 Kg.

2275 18 /26 Matt graphite lacquer 1.340,00 €  
(ADAPTA RF9913WX)



2277



Light Source

1 x LED STRIP 24V 30W.  
LED 3000 K. CRI >90. 2613,6 lm. 87,12 lm/W.  
Driver Constant Voltage 24V.  
100-240V. 50/60Hz.  
Dimming: Optical Sensor.

Special order options available  
- LED 4000 K.  
- Extra cable length.  
Min. quantity, surcharge and extra lead time apply.

Materials

Diffuser: Borosilicate glass.  
Body: Aluminum.

Packaging

1 Box /  
1,18 x 0,35 x 0,37 m.  
Vol. 0,153 m<sup>3</sup>.  
Gross weight 9,5 Kg.  
Net weight 7,5 Kg.

2277 18 /26 Matt graphite lacquer 1.475,00 €  
(ADAPTA RF9913WX)



# Structural

Design by Arik Levy


Architectonic light sculptures.

Structural deconstructs the light sources and integrates them with the architecture, placing the light in unexpected locations while generating impressive compositions of elements.



## Wall

### 2600



#### Light Source

1 x LED 6W 24V.  
LED 3000 K. CRI >90. 708 lm. 118 lm/W.  
Driver Constant Voltage 24V.  
110-240V. 50/60Hz.  
Dimming: 1-10V.

#### Special order options available

- LED 4000 K.  
- Dimming: DALI or Casambi.  
Min. quantity, surcharge and extra lead time apply.

#### Materials

Diffuser: Polycarbonate.  
Main body: Aluminum.  
Structures: Aluminum.

#### Packaging


1 Box /  
0,4 x 0,4 x 0,2 m.  
Vol. 0,032 m<sup>3</sup>.  
Gross weight 1,35 Kg.  
Net weight 0,9 Kg.

**2600 18 /23** Matt grey lacquer **330,00 €**  
(NCS S 7000-N)

**2600 58 /23** Matt cream lacquer **330,00 €**  
(NCS S 2500-N)

LED IP20 CE Dimmer Bi-volt EAC A\*

### 2602



#### Light Source

2 x LED 6W 24V.  
LED 3000 K. CRI >90. 1416 lm. 118 lm/W.  
Driver Constant Voltage 24V.  
110-240V. 50/60Hz.  
Dimming: 1-10V.

#### Special order options available

- LED 4000 K.  
- Dimming: DALI or Casambi.  
Min. quantity, surcharge and extra lead time apply.

#### Materials

Diffuser: Polycarbonate.  
Main body: Aluminum.  
Structures: Aluminum.

#### Packaging


1 Box /  
0,4 x 0,4 x 0,2 m.  
Vol. 0,032 m<sup>3</sup>.  
Gross weight 2,85 Kg.  
Net weight 1,9 Kg.

**2602 18 /23** Matt grey lacquer **550,00 €**  
(NCS S 7000-N)

**2602 58 /23** Matt cream lacquer **550,00 €**  
(NCS S 2500-N)

LED IP20 CE Dimmer Bi-volt EAC A\*

### 2610



#### Light Source

2 x LED 6W 24V.  
LED 3000 K. CRI >90. 1416 lm. 118 lm/W.  
Driver Constant Voltage 24V.  
110-240V. 50/60Hz.  
Dimming: 1-10V.

#### Special order options available

- LED 4000 K.  
- Dimming: DALI or Casambi.  
Min. quantity, surcharge and extra lead time apply.

#### Materials

Diffuser: Polycarbonate.  
Main body: Aluminum.  
Structures: Aluminum.

#### Packaging


2 Boxes /  
Total Vol. 0,036 m<sup>3</sup>.  
Gross weight 3,6 Kg.  
Net weight 2,4 Kg.

**2610 18 /23** Matt grey lacquer **670,00 €**  
(NCS S 7000-N)

**2610 58 /23** Matt cream lacquer **670,00 €**  
(NCS S 2500-N)

LED IP20 CE Dimmer Bi-volt EAC A\*

2612



**Light Source**

Ⓢ  
 2 x LED 6W 24V.  
**LED** 3000 K. CRI >90. 1416 lm. 118 lm/W.  
**Driver** Constant Voltage 24V.  
 110-240V. 50/60HZ.  
**Dimming:** 1-10V.

**Special order options available**  
 - LED 4000 K.  
 - Dimming: DALI or Casambi.  
 Min. quantity, surcharge and extra lead time apply.

\* Electrical connection.

**Materials**


Diffuser: Polycarbonate.  
 Main body: Aluminum.  
 Structures: Aluminum.

**Packaging**


2 Boxes /  
 Total Vol. 0,042 m³.  
 Gross weight 3,9 Kg.  
 Net weight 2,6 Kg.

**2612 18 /23** Matt grey lacquer **725,00 €**  
 (NCS S 7000-N)

**2612 58 /23** Matt cream lacquer **725,00 €**  
 (NCS S 2500-N)



2615



**Light Source**

Ⓢ  
 2 x LED 6W 24V.  
**LED** 3000 K. CRI >90. 1416 lm. 118 lm/W.  
**Driver** Constant Voltage 24V.  
 110-240V. 50/60HZ.  
**Dimming:** 1-10V.

**Special order options available**  
 - LED 4000 K.  
 - Dimming: DALI or Casambi.  
 Min. quantity, surcharge and extra lead time apply.

\* Electrical connection.

**Materials**

Diffuser: Polycarbonate.  
 Main body: Aluminum.  
 Structures: Aluminum.

**Packaging**


2 Boxes /  
 Total Vol. 0,038 m³.  
 Gross weight 4,35 Kg.  
 Net weight 2,9 Kg.

**2615 18 /23** Matt grey lacquer **790,00 €**  
 (NCS S 7000-N)

**2615 58 /23** Matt cream lacquer **790,00 €**  
 (NCS S 2500-N)



2617



**Light Source**

Ⓢ  
 2 x LED 6W 24V.  
**LED** 3000 K. CRI >90. 1416 lm. 118 lm/W.  
**Driver** Constant Voltage 24V.  
 110-240V. 50/60Hz.  
**Dimming:** 1-10V.

**Special order options available**  
 - LED 4000 K.  
 - Dimming: DALI or Casambi.  
 Min. quantity, surcharge and extra lead time apply.

\* Electrical connection.

**Materials**

Diffuser: Polycarbonate.  
 Main body: Aluminum.  
 Structures: Aluminum.

**Packaging**


2 Boxes /  
 Total Vol. 0,041 m³.  
 Gross weight 4,35 Kg.  
 Net weight 2,9 Kg.

**2617 18 /23** Matt grey lacquer **845,00 €**  
 (NCS S 7000-N)

**2617 58 /23** Matt cream lacquer **845,00 €**  
 (NCS S 2500-N)



2620



**Light Source**

Ⓢ  
 2 x LED 6W 24V.  
**LED** 3000 K. CRI >90. 1416 lm. 118 lm/W.  
**Driver** Constant Voltage 24V.  
 110-240V. 50/60Hz.  
**Dimming:** 1-10V.

**Special order options available**  
 - LED 4000 K.  
 - Dimming: DALI or Casambi.  
 Min. quantity, surcharge and extra lead time apply.

\* Electrical connection.

**Materials**

Diffuser: Polycarbonate.  
 Main body: Aluminum.  
 Structures: Aluminum.

**Packaging**

2 Boxes /  
 Total Vol. 0,0356 m³.  
 Gross weight 3,6 Kg.  
 Net weight 2,4 Kg.
































**2620 18 /23** Matt grey lacquer **710,00 €**  
 (NCS S 7000-N)

**2620 58 /23** Matt cream lacquer **710,00 €**  
 (NCS S 2500-N)




## Structural

### Ceiling

<p><b>2630</b></p> 	<p><b>Light Source</b></p> <p>☉</p> <p>1 x LED 6W 24V.  <b>LED</b> 3000 K. CRI &gt;90. 708 lm. 118 lm/W.  <b>Driver</b> Constant Voltage 24V.            110-240V. 50/60Hz.  <b>Dimming:</b> 1-10V.</p> <p><b>Special order options available</b></p> <ul style="list-style-type: none"> <li>- LED 4000 K.</li> <li>- Dimming: DALI or Casambi.</li> </ul> <p>Min. quantity, surcharge and extra lead time apply.</p>	<p><b>Materials</b></p> <p>Diffuser: Polycarbonate.            Main body: Aluminum.            Structures: Aluminum.</p> <p><b>Packaging</b></p> <p>1 Box /            0,4 x 0,4 x 0,2 m.            Vol. 0,032 m<sup>3</sup>.            Gross weight 3,75 Kg.            Net weight 2,5 Kg.</p>	<p><b>2630 18 /23</b> Matt grey lacquer <b>395,00 €</b>            (NCS S 7000-N)</p> <hr/> <p><b>2630 58 /23</b> Matt cream lacquer <b>395,00 €</b>            (NCS S 2500-N)</p> <hr/> <p>LED   IP20  CE  Dimmer  Bi-volt  EAC  A+</p>
<p><b>2632</b></p> 	<p><b>Light Source</b></p> <p>☉</p> <p>1 x LED 17W 24V.  <b>LED</b> 3000 K. CRI &gt;90. 2006 lm. 118 lm/W.  <b>Driver</b> Constant Voltage 24V.            110-240V. 50/60Hz.  <b>Dimming:</b> 1-10V.</p> <p><b>Special order options available</b></p> <ul style="list-style-type: none"> <li>- LED 4000 K.</li> <li>- Dimming: DALI or Casambi.</li> </ul> <p>Min. quantity, surcharge and extra lead time apply.</p>	<p><b>Materials</b></p> <p>Diffuser: Polycarbonate.            Main body: Aluminum.            Structures: Aluminum.</p> <p><b>Packaging</b></p> <p>1 Box /            0,34 x 0,34 x 0,25 m.            Vol. 0,029 m<sup>3</sup>.            Gross weight 4,35 Kg.            Net weight 2,9 Kg.</p>	<p><b>2632 18 /23</b> Matt grey lacquer <b>635,00 €</b>            (NCS S 7000-N)</p> <hr/> <p><b>2632 58 /23</b> Matt cream lacquer <b>635,00 €</b>            (NCS S 2500-N)</p> <hr/> <p>LED   IP20  CE  Dimmer  Bi-volt  A+</p>
<p><b>2634</b></p> 	<p><b>Light Source</b></p> <p>☉</p> <p>1 x LED 17W 24V.  <b>LED</b> 3000 K. CRI &gt;90. 2006 lm. 118 lm/W.  <b>Driver</b> Constant Voltage 24V.            110-240V. 50/60Hz.  <b>Dimming:</b> 1-10V.</p> <p><b>Special order options available</b></p> <ul style="list-style-type: none"> <li>- LED 4000 K.</li> <li>- Dimming: DALI or Casambi.</li> </ul> <p>Min. quantity, surcharge and extra lead time apply.</p>	<p><b>Materials</b></p> <p>Diffuser: Polycarbonate.            Main body: Aluminum.            Structures: Aluminum.</p> <p><b>Packaging</b></p> <p>1 Box /            0,58 x 0,34 x 0,23 m.            Vol. 0,045 m<sup>3</sup>.            Gross weight 5,85 Kg.            Net weight 3,9 Kg.</p>	<p><b>2634 18 /23</b> Matt grey lacquer <b>895,00 €</b>            (NCS S 7000-N)</p> <hr/> <p><b>2634 58 /23</b> Matt cream lacquer <b>895,00 €</b>            (NCS S 2500-N)</p> <hr/> <p>LED   IP20  CE  Dimmer  Bi-volt  EAC  A+</p>
<p><b>2640</b></p> 	<p><b>Light Source</b></p> <p>☉ ☉</p> <p>1 x LED 17W 24V.            1 x LED 6W 24V.  <b>LED</b> 3000 K. CRI &gt;90. 2714 lm. 118 lm/W.  <b>Driver</b> Constant Voltage 24V.            110-240V. 50/60Hz.  <b>Dimming:</b> 1-10V.</p> <p><b>Special order options available</b></p> <ul style="list-style-type: none"> <li>- LED 4000 K.</li> <li>- Dimming: DALI or Casambi.</li> </ul> <p>Min. quantity, surcharge and extra lead time apply.</p>	<p><b>Materials</b></p> <p>Diffuser: Polycarbonate.            Main body: Aluminum.            Structures: Aluminum.</p> <p><b>Packaging</b></p> <p>1 Box /            0,25 x 0,5 x 1,2 m.            Vol. 0,15 m<sup>3</sup>.            Gross weight 8,25 Kg.            Net weight 5,5 Kg.</p>	<p><b>2640 18 /23</b> Matt grey lacquer <b>995,00 €</b>            (NCS S 7000-N)</p> <hr/> <p><b>2640 58 /23</b> Matt cream lacquer <b>995,00 €</b>            (NCS S 2500-N)</p> <hr/> <p>LED   IP20  CE  Dimmer  Bi-volt  EAC  A+</p>

## Structural

2642



### Light Source



1 x LED 17W 24V.  
1 x LED 34W 24V.  
**LED** 3000 K. CRI >90. 6018 lm. 118 lm/W.  
**Driver** Constant Voltage 24V.  
110-240V. 50/60Hz.  
**Dimming:** 1-10V.

### Special order options available

- LED 4000 K.  
- Dimming: DALI or Casambi.  
Min. quantity, surcharge and extra lead time apply.

### Materials

Diffuser: Polycarbonate.  
Main body: Aluminum.  
Structures: Aluminum.

### Packaging


1 Box /  
0,25 x 0,60 x 1,7 m.  
Vol. 0,255 m<sup>3</sup>.  
Gross weight 11,25 Kg.  
Net weight 7,5 Kg.

2642 18 /23 Matt grey lacquer 1.630,00 €  
(NCS S 7000-N)

2642 58 /23 Matt cream lacquer 1.630,00 €  
(NCS S 2500-N)



2645



### Light Source



1 x LED 17W 24V.  
1 x LED 34W 24V.  
1 x LED 6W 24V.  
**LED** 3000 K. CRI >90. 6726 lm. 118 lm/W.  
**Driver** Constant Voltage 24V.  
110-240V. 50/60Hz.  
**Dimming:** 1-10V.

### Special order options available

- LED 4000 K.  
- Dimming: DALI or Casambi.  
Min. quantity, surcharge and extra lead time apply.

### Materials

Diffuser: Polycarbonate.  
Main body: Aluminum.  
Structures: Aluminum.

### Packaging


1 Box /  
0,25 x 1,2 x 1,2 m.  
Vol. 0,42 m<sup>3</sup>.  
Gross weight 14,25 Kg.  
Net weight 9,25 Kg.

2645 18 /23 Matt grey lacquer 1.995,00 €  
(NCS S 7000-N)

2645 58 /23 Matt cream lacquer 1.995,00 €  
(NCS S 2500-N)



2647



### Light Source



1 x LED 17W 24V.  
1 x LED 34W 24V.  
1 x LED 6W 24V.  
**LED** 3000 K. CRI >90. 6726 lm. 118 lm/W.  
**Driver** Constant Voltage 24V.  
110-240V. 50/60Hz.  
**Dimming:** 1-10V.

### Special order options available

- LED 4000 K.  
- Dimming: DALI or Casambi.  
Min. quantity, surcharge and extra lead time apply.

### Materials

Diffuser: Polycarbonate.  
Main body: Aluminum.  
Structures: Aluminum.

### Packaging

1 Box /  
0,25 x 1,7 x 1,7 m.  
Vol. 0,72 m<sup>3</sup>.  
Gross weight 15,3 Kg.  
Net weight 10,2 Kg.

2647 18 /23 Matt grey lacquer 2.075,00 €  
(NCS S 7000-N)

2647 58 /23 Matt cream lacquer 2.075,00 €  
(NCS S 2500-N)






# Duo


Design by Ramos & Bassols

Natural warmth. Simple volumes with a sculptural quality, easily integrated with the architecture of the ceilings where they are fitted allowing the lights to become focal points without being suspended.



## Ceiling

### 4870



#### Light Source



1 x LED PLATE 26,5 W. 700mA.

/ 1A:

LED 2700 K. CRI >90. 2500 lm. 94,34 lm/W.

/ 4A:

LED 4000 K. CRI >80. 2890 lm. 109,6 lm/W.

Driver Constant Voltage 24V.

110-240V. 50/60Hz.

Dimming: DALI + 1-10V + Push.

#### Special order options available

- Dimming: Casambi.

Min. quantity, surcharge and extra lead time apply.

#### Materials

Diffuser: Polycarbonate.

Main Body: Aluminum.

Structures: Oak wood.

#### Packaging

1 Box /

0,56 x 0,56 x 0,26 m.

Vol. 0,0815 m<sup>3</sup>.

Gross weight 7 Kg.

Net weight 6 Kg.

**4870 18 /1A** Matt graphite lacquer **1.175,00 €**  
(Adapta RF9913WX)

**4870 18 /4A** Matt graphite lacquer **1.175,00 €**  
(Adapta RF9913WX)

**4870 58 /1A** Matt cream lacquer **1.175,00 €**  
(RAL 7044)


**4870 58 /4A** Matt cream lacquer **1.175,00 €**  
(RAL 7044)

**4870 93 /1A** Matt withe lacquer **1.175,00 €**  
(RAL 9016)

**4870 93 /4A** Matt withe lacquer **1.175,00 €**  
(RAL 9016)

LED IP20 CE Dimmer Bi-volt EAC A\*

### 4872



#### Light Source



1 x LED PLATE 50 W. 750mA.

/ 1A:

LED 2700 K. CRI >90. 5127 lm. 102,54 lm/W.

/ 4A:

LED 4000 K. CRI >80. 5926,81 lm. 118,54 lm/W.

Driver Constant Voltage 24V.

110-240V. 50/60Hz.

Dimming: DALI + 1-10V + Push.

#### Special order options available

- Dimming: Casambi.

Min. quantity, surcharge and extra lead time apply.

#### Materials

Diffuser: Polycarbonate.

Main Body: Aluminum.

Structures: Oak wood.

#### Packaging

1 Box /

0,9 x 0,9 x 0,25 m.

Vol. 0,2025 m<sup>3</sup>.

Gross weight 19 Kg.

Net weight 17 Kg.

**4872 18 /1A** Matt graphite lacquer **1.825,00 €**  
(Adapta RF9913WX)

**4872 18 /4A** Matt graphite lacquer **1.825,00 €**  
(Adapta RF9913WX)

**4872 58 /1A** Matt cream lacquer **1.825,00 €**  
(RAL 7044)


**4872 58 /4A** Matt cream lacquer **1.825,00 €**  
(RAL 7044)

**4872 93 /1A** Matt withe lacquer **1.825,00 €**  
(RAL 9016)

**4872 93 /4A** Matt withe lacquer **1.825,00 €**  
(RAL 9016)

LED IP20 CE Dimmer Bi-volt EAC A\*

### 4874



#### Light Source



1 x LED PLATE 12 W. 350 mA.

/ 1B:

LED 2700 K. CRI >80. 1100 lm. 91,67 lm/W.

/ 4B:

LED 4000 K. CRI >80. 1271,6 lm. 105,97 lm/W.

Driver Constant Voltage 24V.

110-240V. 50/60Hz.

Dimming: 1-10V + Push.

#### Special order options available

- Dimming: DALI or Casambi.

Min. quantity, surcharge and extra lead time apply.

#### Materials

Diffuser: Polycarbonate.

Main Body: Aluminum.

Structures: Oak wood.

#### Packaging

1 Box /

0,44 x 0,44 x 0,35 m.

Vol. 0,0678 m<sup>3</sup>.

Gross weight 5 Kg.

Net weight 4 Kg.

**4874 18 /1B** Matt graphite lacquer **965,00 €**  
(Adapta RF9913WX)

**4874 18 /4B** Matt graphite lacquer **965,00 €**  
(Adapta RF9913WX)

**4874 58 /1B** Matt cream lacquer **965,00 €**  
(RAL 7044)


**4874 58 /4B** Matt cream lacquer **965,00 €**  
(RAL 7044)

**4874 93 /1B** Matt withe lacquer **965,00 €**  
(RAL 9016)

**4874 93 /4B** Matt withe lacquer **965,00 €**  
(RAL 9016)

LED IP20 CE Dimmer Bi-volt EAC A\*



**4876****Light Source**

1 x LED PLATE 12 W. 350 mA.  
**/ 1B:**  
 LED 2700 K. CRI >80. 1100 lm. 91,67 lm/W.  
**/ 4B:**  
 LED 4000 K. CRI >80. 1271,6 lm. 105,97 lm/W.  
**Driver** Constant Voltage 24V.  
 110-240V. 50/60Hz.  
**Dimming:** 1-10V + Push.

**Special order options available**

- Dimming: DALI or Casambi.  
 Min. quantity, surcharge and extra lead time apply.


**Materials**

Diffuser: Polycarbonate.  
 Main Body: Aluminum.  
 Structures: Oak wood.

**Packaging**

1 Box /  
 0,44 x 0,44 x 0,35 m.  
 Vol. 0,0678 m<sup>3</sup>.  
 Gross weight 5 Kg.  
 Net weight 4 Kg.

<b>4876 18 /1B</b> Matt graphite lacquer (Adapta RF9913WX)	<b>1.110,00 €</b>
<b>4876 18 /4B</b> Matt graphite lacquer (Adapta RF9913WX)	<b>1.110,00 €</b>
<b>4876 58 /1B</b> Matt cream lacquer (RAL 7044)	<b>1.110,00 €</b>
<b>4876 58 /4B</b> Matt cream lacquer (RAL 7044)	<b>1.110,00 €</b>
<b>4876 93 /1B</b> Matt withe lacquer (RAL 9016)	<b>1.110,00 €</b>
<b>4876 93 /4B</b> Matt withe lacquer (RAL 9016)	<b>1.110,00 €</b>

**4878****Light Source**

1 x LED PLATE 26,5 W. 700 mA.  
**/ 1A:**  
 LED 2700 K. CRI >90. 2500 lm. 94,34 lm/W.  
**/ 4A:**  
 LED 4000 K. CRI >80. 2890 lm. 109,06 lm/W.  
**Driver** Constant Voltage 24V.  
 110-240V. 50/60Hz.  
**Dimming:** DALI + 1-10V + Push.

**Special order options available**

- Dimming: Casambi.  
 Min. quantity, surcharge and extra lead time apply.


**Materials**

Diffuser: Polycarbonate.  
 Main Body: Aluminum.  
 Structures: Oak wood.

**Packaging**

1 Box /  
 0,79 x 0,79 x 0,59 m.  
 Vol. 0,3682 m<sup>3</sup>.  
 Gross weight 16 Kg.  
 Net weight 14 Kg.

<b>4878 18 /1A</b> Matt graphite lacquer (Adapta RF9913WX)	<b>1.765,00 €</b>
<b>4878 18 /4A</b> Matt graphite lacquer (Adapta RF9913WX)	<b>1.765,00 €</b>
<b>4878 58 /1A</b> Matt cream lacquer (RAL 7044)	<b>1.765,00 €</b>
<b>4878 58 /4A</b> Matt cream lacquer (RAL 7044)	<b>1.765,00 €</b>
<b>4878 93 /1A</b> Matt withe lacquer (RAL 9016)	<b>1.765,00 €</b>
<b>4878 93 /4A</b> Matt withe lacquer (RAL 9016)	<b>1.765,00 €</b>

**4880****Light Source**

1 x LED PLATE 26,5 W. 700 mA.  
**/ 1A:**  
 LED 2700 K. CRI >90. 2500 lm. 94,34 lm/W.  
**/ 4A:**  
 LED 4000 K. CRI >80. 2890 lm. 109,06 lm/W.  
**Driver** Constant Voltage 24V.  
 110-240V. 50/60Hz.  
**Dimming:** DALI + 1-10V + Push.

**Special order options available**

- Dimming: Casambi.  
 Min. quantity, surcharge and extra lead time apply.

**Materials**

Diffuser: Polycarbonate.  
 Main Body: Aluminum.  
 Structures: Oak wood.

**Packaging**

1 Box /  
 0,79 x 0,79 x 0,59 m.  
 Vol. 0,3682 m<sup>3</sup>.  
 Gross weight 16 Kg.  
 Net weight 14 Kg.

<b>4880 18 /1A</b> Matt graphite lacquer (Adapta RF9913WX)	<b>1.965,00 €</b>
<b>4880 18 /4A</b> Matt graphite lacquer (Adapta RF9913WX)	<b>1.965,00 €</b>
<b>4880 58 /1A</b> Matt cream lacquer (RAL 7044)	<b>1.965,00 €</b>
<b>4880 58 /4A</b> Matt cream lacquer (RAL 7044)	<b>1.965,00 €</b>
<b>4880 93 /1A</b> Matt withe lacquer (RAL 9016)	<b>1.965,00 €</b>
<b>4880 93 /4A</b> Matt withe lacquer (RAL 9016)	<b>1.965,00 €</b>



# North Floor-pendant


Design by Arik Levy

The floor lamp that floats in the air. Separating the parts of the luminous object: base, stem and shade whereby the light is brought to where it's required, allowing each part to be adapted with total freedom of movement.



Floor

5666



## Light Source



1 x LED 9W 350mA.  
**LED** 2700 K. CRI >80. 1041 lm. 115,66 lm/W.  
**Driver** Constant Current 350 mA.  
 110-240V. 50/60Hz.  
**Dimming:** Push.

## Special order options available

- LED 3000 K.
  - LED 4000 K.
  - Extra cable length.
- Min. quantity, surcharge and extra lead time apply.

Electric cable with plug.

## Materials

Diffuser: Methacrylate.  
 Screen: Aluminum  
 Cane: Carbon fiber.

## Packaging

2 Boxes /  
 Total Vol. 0,0464 m<sup>3</sup>.  
 Gross weight 6,2 Kg.  
 Net weight 4,05 Kg.

<b>5666 04 / 15</b> Matt graphite lacquer (NCS S8500N)	<b>665,00 €</b>
<b>5666 05 / 15</b> Matt blue lacquer (NCS 3040-B10G)	<b>665,00 €</b>
<b>5666 58 / 15</b> Matt cream lacquer (NCS S 2005-Y20R)	<b>665,00 €</b>
<b>5666 93 / 15</b> Matt withe lacquer (NCS S 0502-Y)	<b>665,00 €</b>

LED IP20 CE Dimmer EAC Bi-volt A+

# Tempo


Design by Lievore, Altherr

Timeless character. The Tempo collection by Lievore Altherr reclaims our collective memory of light, making it contemporary through its most essential expression. Shades with an architectonic profile recreate different ambiances bringing them right up-to-date with new additions and uses.



## Wall

5756



### Light Source

1 x LED 4 W 350mA.  
LED 2700 K. CRI >90. 550 lm. 137,50 lm/W.  
Driver Constant Current 350 mA.  
220-240V. 50/60Hz.  
Dimming: Push.

### Special order options available

- LED 3000 K.  
- LED 4000 K.  
Min. quantity, surcharge and extra lead time apply.

Push dimmer on the cable. With plug (380 cm).

### Materials

Diffuser: Blown-glass.  
Main Body: Aluminum.  
Structures: Iron.

### Packaging

2 Boxes /  
Total Vol. 0,082 m<sup>3</sup>.  
Gross weight 5,3 Kg.  
Net weight 3 Kg.

5756 18 /15 Matt graphite lacquer (ADAPTA RF9913WX) 860,00 €


5756 35 /15 Matt brick lacquer (NCS S 4040-Y70R) 860,00 €

5756 58 /15 Matt cream lacquer (RAL 7044) 860,00 €

5756 62 /15 Matt green lacquer (NCS S 3010-G20Y) 860,00 €

LED IP20 CE Dimmer EAC A+

5757



### Light Source

1 x LED 4 W 350mA.  
LED 2700 K. CRI >90. 550 lm. 137,50 lm/W.  
Driver Constant Current 350 mA.  
220-240V. 50/60Hz.  
Dimming: 1-10V + Push.

### Special order options available

- LED 3000 K.  
- LED 4000 K.  
- Dimming: DALI or Casambi.  
Min. quantity, surcharge and extra lead time apply.

Recessed dimmable driver (150 cm).

### Materials

Diffuser: Blown-glass.  
Main Body: Aluminum.  
Structures: Iron.

### Packaging

2 Boxes /  
Total Vol. 0,082 m<sup>3</sup>.  
Gross weight 5,3 Kg.  
Net weight 3 Kg.

5757 18 /1B Matt graphite lacquer (ADAPTA RF9913WX) 825,00 €


5757 35 /1B Matt brick lacquer (NCS S 4040-Y70R) 825,00 €

5757 58 /1B Matt cream lacquer (RAL 7044) 825,00 €

5757 62 /1B Matt green lacquer (NCS S 3010-G20Y) 825,00 €

LED IP20 CE Dimmer EAC A+

5758



### Light Source

1 x LED 4 W 350mA.  
LED 2700 K. CRI >90. 550 lm. 137,50 lm/W.  
Driver Constant Current 350 mA.  
220-240V. 50/60Hz.  
Dimming: Push.

### Special order options available

- LED 3000 K.  
- LED 4000 K.  
Min. quantity, surcharge and extra lead time apply.

Push dimmer on the cable. With plug (380 cm).

### Materials

Diffuser: Blown-glass.  
Main Body: Aluminum.  
Structures: Iron.

### Packaging

2 Boxes /  
Total Vol. 0,088 m<sup>3</sup>.  
Gross weight 4,5 Kg.  
Net weight 2,4 Kg.

5758 18 /15 Matt graphite lacquer (ADAPTA RF9913WX) 860,00 €


5758 35 /15 Matt brick lacquer (NCS S 4040-Y70R) 860,00 €

5758 58 /15 Matt cream lacquer (RAL 7044) 860,00 €

5758 62 /15 Matt green lacquer (NCS S 3010-G20Y) 860,00 €

LED IP20 CE Dimmer EAC A+

**5759**



**Light Source**  
 1 x LED 4 W 350mA.  
**LED** 2700 K. CRI >90. 550 lm. 137,50 lm/W.  
**Driver** Constant Current 350 mA.  
 220-240V. 50/60Hz.  
**Dimming:** 1-10V + Push.

**Special order options available**  
 - LED 3000 K.  
 - LED 4000 K.  
 - Dimming: DALI or Casambi.  
 Min. quantity, surcharge and extra lead time apply.

Recessed dimmable driver (150 cm).


**Materials**  
 Diffuser: Blown-glass.  
 Main Body: Aluminum.  
 Structures: Iron.

**Packaging**  
 2 Boxes /  
 Total Vol. 0,088 m<sup>3</sup>.  
 Gross weight 4,5 Kg.  
 Net weight 2,4 Kg.

<b>5759 18 /1B</b> Matt graphite lacquer (ADAPTA RF9913WX)	<b>825,00 €</b>
<b>5759 35 /1B</b> Matt brick lacquer (NCS S 4040-Y70R)	<b>825,00 €</b>
<b>5759 58 /1B</b> Matt cream lacquer (RAL 7044)	<b>825,00 €</b>
<b>5759 62 /1B</b> Matt green lacquer (NCS S 3010-G20Y)	<b>825,00 €</b>

LED IP20 CE Dimmer EAC A++

**5760**



**Light Source**  
 1 x LED 4 W 350mA.  
**LED** 2700 K. CRI >90. 550 lm. 137,50 lm/W.  
**Driver** Constant Current 350 mA.  
 220-240V. 50/60Hz.  
**Dimming:** Push.

**Special order options available**  
 - LED 3000 K.  
 - LED 4000 K.  
 Min. quantity, surcharge and extra lead time apply.

Push dimmer on the cable. With plug (380 cm).


**Materials**  
 Diffuser: Blown-glass.  
 Main Body: Aluminum.  
 Structures: Iron.

**Packaging**  
 2 Boxes /  
 Total Vol. 0,088 m<sup>3</sup>.  
 Gross weight 4,5 Kg.  
 Net weight 2,4 Kg.

<b>5760 18 /15</b> Matt graphite lacquer (ADAPTA RF9913WX)	<b>860,00 €</b>
<b>5760 35 /15</b> Matt brick lacquer (NCS S 4040-Y70R)	<b>860,00 €</b>
<b>5760 58 /15</b> Matt cream lacquer (RAL 7044)	<b>860,00 €</b>
<b>5760 62 /15</b> Matt green lacquer (NCS S 3010-G20Y)	<b>860,00 €</b>

LED IP20 CE Dimmer EAC A++

**5761**



**Light Source**  
 1 x LED 4 W 350mA.  
**LED** 2700 K. CRI >90. 550 lm. 137,50 lm/W.  
**Driver** Constant Current 350 mA.  
 220-240V. 50/60Hz.  
**Dimming:** 1-10V + Push.

**Special order options available**  
 - LED 3000 K.  
 - LED 4000 K.  
 - Dimming: DALI or Casambi.  
 Min. quantity, surcharge and extra lead time apply.

Recessed dimmable driver (150 cm).


**Materials**  
 Diffuser: Blown-glass.  
 Main Body: Aluminum.  
 Structures: Iron.

**Packaging**  
 2 Boxes /  
 Total Vol. 0,088 m<sup>3</sup>.  
 Gross weight 4,5 Kg.  
 Net weight 2,4 Kg.

<b>5761 18 /1B</b> Matt graphite lacquer (ADAPTA RF9913WX)	<b>825,00 €</b>
<b>5761 35 /1B</b> Matt brick lacquer (NCS S 4040-Y70R)	<b>825,00 €</b>
<b>5761 58 /1B</b> Matt cream lacquer (RAL 7044)	<b>825,00 €</b>
<b>5761 62 /1B</b> Matt green lacquer (NCS S 3010-G20Y)	<b>825,00 €</b>

LED IP20 CE Dimmer EAC A++

**5762**



**Light Source**  
 1 x LED 4 W 350mA.  
**LED** 2700 K. CRI >90. 550 lm. 137,50 lm/W.  
**Driver** Constant Current 350 mA.  
 220-240V. 50/60Hz.  
**Dimming:** Push.

**Special order options available**  
 - LED 3000 K.  
 - LED 4000 K.  
 Min. quantity, surcharge and extra lead time apply.

Push dimmer on the cable. With plug (300 cm).


**Materials**  
 Diffuser: Blown-glass.  
 Main Body: Aluminum.  
 Structures: Iron.

**Packaging**  
 2 Boxes /  
 Total Vol. 0,055 m<sup>3</sup>.  
 Gross weight 4,3 Kg.  
 Net weight 2,3 Kg.

<b>5762 18 /15</b> Matt graphite lacquer (ADAPTA RF9913WX)	<b>690,00 €</b>
<b>5762 35 /15</b> Matt brick lacquer (NCS S 4040-Y70R)	<b>690,00 €</b>
<b>5762 58 /15</b> Matt cream lacquer (RAL 7044)	<b>690,00 €</b>
<b>5762 62 /15</b> Matt green lacquer (NCS S 3010-G20Y)	<b>690,00 €</b>

LED IP20 CE Dimmer EAC A++

5763



**Light Source**

Ⓢ  
1 x LED 4 W 350mA.  
**LED** 2700 K. CRI >90. 550 lm. 137,50 lm/W.  
**Driver** Constant Current 350 mA.  
220-240V. 50/60Hz.  
**Dimming:** 1-10V + Push.

**Special order options available**

- LED 3000 K.
  - LED 4000 K.
  - Dimming: DALI or Casambi.
- Min. quantity, surcharge and extra lead time apply.

Recessed dimmable driver (150 cm).

**Materials**

Diffuser: Blown-glass.  
Main Body: Aluminum.  
Structures: Iron.

**Packaging**

2 Boxes /  
Total Vol. 0,055 m<sup>3</sup>.  
Gross weight 4,3 Kg.  
Net weight 2,3 Kg.

**5763 18 /1B** Matt graphite lacquer 670,00 €  
(ADAPTA RF9913WX)


**5763 35 /1B** Matt brick lacquer 670,00 €  
(NCS S 4040-Y70R)

**5763 58 /1B** Matt cream lacquer 670,00 €  
(RAL 7044)

**5763 62 /1B** Matt green lacquer 670,00 €  
(NCS S 3010-G20Y)



5764



**Light Source**

Ⓢ  
1 x LED 4 W 350mA.  
**LED** 2700 K. CRI >90. 550 lm. 137,50 lm/W.  
**Driver** Constant Current 350 mA.  
220-240V. 50/60Hz.  
**Dimming:** Push.

**Special order options available**

- LED 3000 K.
  - LED 4000 K.
- Min. quantity, surcharge and extra lead time apply.

Push dimmer on the cable. With plug (300 cm).

**Materials**

Diffuser: Blown-glass.  
Main Body: Aluminum.  
Structures: Iron.

**Packaging**

2 Boxes /  
Total Vol. 0,060 m<sup>3</sup>.  
Gross weight 3,5 Kg.  
Net weight 1,7 Kg.

**5764 18 /15** Matt graphite lacquer 690,00 €  
(ADAPTA RF9913WX)


**5764 35 /15** Matt brick lacquer 690,00 €  
(NCS S 4040-Y70R)

**5764 58 /15** Matt cream lacquer 690,00 €  
(RAL 7044)

**5764 62 /15** Matt green lacquer 690,00 €  
(NCS S 3010-G20Y)



5765



**Light Source**

Ⓢ  
1 x LED 4 W 350mA.  
**LED** 2700 K. CRI >90. 550 lm. 137,50 lm/W.  
**Driver** Constant Current 350 mA.  
220-240V. 50/60Hz.  
**Dimming:** 1-10V + Push.

**Special order options available**

- LED 3000 K.
  - LED 4000 K.
  - Dimming: DALI or Casambi.
- Min. quantity, surcharge and extra lead time apply.

Recessed dimmable driver (150 cm).

**Materials**

Diffuser: Blown-glass.  
Main Body: Aluminum.  
Structures: Iron.

**Packaging**

2 Boxes /  
Total Vol. 0,060 m<sup>3</sup>.  
Gross weight 3,5 Kg.  
Net weight 1,7 Kg.

**5765 18 /1B** Matt graphite lacquer 670,00 €  
(ADAPTA RF9913WX)


**5765 35 /1B** Matt brick lacquer 670,00 €  
(NCS S 4040-Y70R)

**5765 58 /1B** Matt cream lacquer 670,00 €  
(RAL 7044)

**5765 62 /1B** Matt green lacquer 670,00 €  
(NCS S 3010-G20Y)



5766



**Light Source**

Ⓢ  
1 x LED 4 W 350mA.  
**LED** 2700 K. CRI >90. 550 lm. 137,50 lm/W.  
**Driver** Constant Current 350 mA.  
220-240V. 50/60Hz.  
**Dimming:** Push.

**Special order options available**

- LED 3000 K.
  - LED 4000 K.
- Min. quantity, surcharge and extra lead time apply.

Push dimmer on the cable. With plug (300 cm).

**Materials**

Diffuser: Blown-glass.  
Main Body: Aluminum.  
Structures: Iron.

**Packaging**

2 Boxes /  
Total Vol. 0,060 m<sup>3</sup>.  
Gross weight 3,5 Kg.  
Net weight 1,7 Kg.

**5766 18 /15** Matt graphite lacquer 690,00 €  
(ADAPTA RF9913WX)








**5766 35 /15** Matt brick lacquer 690,00 €  
(NCS S 4040-Y70R)

**5766 58 /15** Matt cream lacquer 690,00 €  
(RAL 7044)








**5766 62 /15** Matt green lacquer 690,00 €  
(NCS S 3010-G20Y)

















# Tempo

<b>5767</b>		<p><b>Light Source</b></p> <p>Ⓢ</p> <p>1 x LED 4 W 350mA.  <b>LED</b> 2700 K. CRI &gt;90. 550 lm. 137,50 lm/W.  <b>Driver</b> Constant Current 350 mA.          220-240V. 50/60Hz.  <b>Dimming:</b> 1-10V + Push.</p> <p><b>Special order options available</b></p> <ul style="list-style-type: none"> <li>- LED 3000 K.</li> <li>- LED 4000 K.</li> <li>- Dimming: DALI or Casambi.</li> </ul> <p>Min. quantity, surcharge and extra lead time apply.</p> <p>Recessed dimmable driver (150 cm).</p>	<p><b>Materials</b></p> <p>Diffuser: Blown-glass.          Main Body: Aluminum.          Structures: Iron.</p> <p><b>Packaging</b></p> <p>2 Boxes /          Total Vol. 0,060 m³.          Gross weight 3,5 Kg.          Net weight 1,7 Kg.</p>	<table border="0"> <tr> <td><b>5767 18 /1B</b> Matt graphite lacquer (ADAPTA RF9913WX)</td> <td style="text-align: right;"><b>670,00 €</b></td> </tr> <tr> <td><b>5767 35 /1B</b> Matt brick lacquer (NCS S 4040-Y70R)</td> <td style="text-align: right;"><b>670,00 €</b></td> </tr> <tr> <td><b>5767 58 /1B</b> Matt cream lacquer (RAL 7044)</td> <td style="text-align: right;"><b>670,00 €</b></td> </tr> <tr> <td><b>5767 62 /1B</b> Matt green lacquer (NCS S 3010-G20Y)</td> <td style="text-align: right;"><b>670,00 €</b></td> </tr> </table> <p>LED   IP20  CE  Dimmer  EAC  A+</p>	<b>5767 18 /1B</b> Matt graphite lacquer (ADAPTA RF9913WX)	<b>670,00 €</b>	<b>5767 35 /1B</b> Matt brick lacquer (NCS S 4040-Y70R)	<b>670,00 €</b>	<b>5767 58 /1B</b> Matt cream lacquer (RAL 7044)	<b>670,00 €</b>	<b>5767 62 /1B</b> Matt green lacquer (NCS S 3010-G20Y)	<b>670,00 €</b>
<b>5767 18 /1B</b> Matt graphite lacquer (ADAPTA RF9913WX)	<b>670,00 €</b>											
<b>5767 35 /1B</b> Matt brick lacquer (NCS S 4040-Y70R)	<b>670,00 €</b>											
<b>5767 58 /1B</b> Matt cream lacquer (RAL 7044)	<b>670,00 €</b>											
<b>5767 62 /1B</b> Matt green lacquer (NCS S 3010-G20Y)	<b>670,00 €</b>											


## Pendants

<b>5770</b>		<p><b>Light Source</b></p> <p>Ⓢ</p> <p>1 x LED 4 W 350mA.  <b>LED</b> 2700 K. CRI &gt;90. 550 lm. 137,50 lm/W.  <b>Driver</b> Constant Current 350 mA.          220-240V. 50/60Hz.  <b>Dimming:</b> 1-10V + Push.</p> <p><b>Special order options available</b></p> <ul style="list-style-type: none"> <li>- LED 3000 K.</li> <li>- LED 4000 K.</li> <li>- Dimming: DALI or Casambi.</li> <li>- Extra cable length.</li> </ul> <p>Min. quantity, surcharge and extra lead time apply.</p>	<p><b>Materials</b></p> <p>Diffuser: Blown-glass.          Main Body: Aluminum.          Structures: Iron.</p> <p><b>Packaging</b></p> <p>1 Box /          0,32 x 0,29 x 0,17 m.          Vol. 0,015 m³.          Gross weight 2,5 Kg.          Net weight 2 Kg.</p>	<table border="0"> <tr> <td><b>5770 18 /1B</b> Matt graphite lacquer (ADAPTA RF9913WX)</td> <td style="text-align: right;"><b>530,00 €</b></td> </tr> <tr> <td><b>5770 35 /1B</b> Matt brick lacquer (NCS S 4040-Y70R)</td> <td style="text-align: right;"><b>530,00 €</b></td> </tr> <tr> <td><b>5770 58 /1B</b> Matt cream lacquer (RAL 7044)</td> <td style="text-align: right;"><b>530,00 €</b></td> </tr> <tr> <td><b>5770 62 /1B</b> Matt green lacquer (NCS S 3010-G20Y)</td> <td style="text-align: right;"><b>530,00 €</b></td> </tr> </table> <p>LED   IP20  CE  Dimmer  EAC  A+</p>	<b>5770 18 /1B</b> Matt graphite lacquer (ADAPTA RF9913WX)	<b>530,00 €</b>	<b>5770 35 /1B</b> Matt brick lacquer (NCS S 4040-Y70R)	<b>530,00 €</b>	<b>5770 58 /1B</b> Matt cream lacquer (RAL 7044)	<b>530,00 €</b>	<b>5770 62 /1B</b> Matt green lacquer (NCS S 3010-G20Y)	<b>530,00 €</b>
<b>5770 18 /1B</b> Matt graphite lacquer (ADAPTA RF9913WX)	<b>530,00 €</b>											
<b>5770 35 /1B</b> Matt brick lacquer (NCS S 4040-Y70R)	<b>530,00 €</b>											
<b>5770 58 /1B</b> Matt cream lacquer (RAL 7044)	<b>530,00 €</b>											
<b>5770 62 /1B</b> Matt green lacquer (NCS S 3010-G20Y)	<b>530,00 €</b>											

<b>5772</b>		<p><b>Light Source</b></p> <p>Ⓢ</p> <p>1 x LED 4 W 350mA.  <b>LED</b> 2700 K. CRI &gt;90. 550 lm. 137,50 lm/W.  <b>Driver</b> Constant Current 350 mA.          220-240V. 50/60Hz.  <b>Dimming:</b> 1-10V + Push.</p> <p><b>Special order options available</b></p> <ul style="list-style-type: none"> <li>- LED 3000 K.</li> <li>- LED 4000 K.</li> <li>- Dimming: DALI or Casambi.</li> <li>- Extra cable length.</li> </ul> <p>Min. quantity, surcharge and extra lead time apply.</p>	<p><b>Materials</b></p> <p>Diffuser: Blown-glass.          Main Body: Aluminum.          Structures: Iron.</p> <p><b>Packaging</b></p> <p>1 Box /          0,28 x 0,2 x 0,27 m.          Vol. 0,015 m³.          Gross weight 1,8 Kg.          Net weight 1,2 Kg.</p>	<table border="0"> <tr> <td><b>5772 18 /1B</b> Matt graphite lacquer (ADAPTA RF9913WX)</td> <td style="text-align: right;"><b>530,00 €</b></td> </tr> <tr> <td><b>5772 35 /1B</b> Matt brick lacquer (NCS S 4040-Y70R)</td> <td style="text-align: right;"><b>530,00 €</b></td> </tr> <tr> <td><b>5772 58 /1B</b> Matt cream lacquer (RAL 7044)</td> <td style="text-align: right;"><b>530,00 €</b></td> </tr> <tr> <td><b>5772 62 /1B</b> Matt green lacquer (NCS S 3010-G20Y)</td> <td style="text-align: right;"><b>530,00 €</b></td> </tr> </table> <p>LED   IP20  CE  Dimmer  EAC  A+</p>	<b>5772 18 /1B</b> Matt graphite lacquer (ADAPTA RF9913WX)	<b>530,00 €</b>	<b>5772 35 /1B</b> Matt brick lacquer (NCS S 4040-Y70R)	<b>530,00 €</b>	<b>5772 58 /1B</b> Matt cream lacquer (RAL 7044)	<b>530,00 €</b>	<b>5772 62 /1B</b> Matt green lacquer (NCS S 3010-G20Y)	<b>530,00 €</b>
<b>5772 18 /1B</b> Matt graphite lacquer (ADAPTA RF9913WX)	<b>530,00 €</b>											
<b>5772 35 /1B</b> Matt brick lacquer (NCS S 4040-Y70R)	<b>530,00 €</b>											
<b>5772 58 /1B</b> Matt cream lacquer (RAL 7044)	<b>530,00 €</b>											
<b>5772 62 /1B</b> Matt green lacquer (NCS S 3010-G20Y)	<b>530,00 €</b>											

<b>5774</b>		<p><b>Light Source</b></p> <p>Ⓢ</p> <p>1 x LED 4 W 350mA.  <b>LED</b> 2700 K. CRI &gt;90. 550 lm. 137,50 lm/W.  <b>Driver</b> Constant Current 350 mA.          220-240V. 50/60Hz.  <b>Dimming:</b> 1-10V + Push.</p> <p><b>Special order options available</b></p> <ul style="list-style-type: none"> <li>- LED 3000 K.</li> <li>- LED 4000 K.</li> <li>- Dimming: DALI or Casambi.</li> <li>- Extra cable length.</li> </ul> <p>Min. quantity, surcharge and extra lead time apply.</p>	<p><b>Materials</b></p> <p>Diffuser: Blown-glass.          Main Body: Aluminum.          Structures: Iron.</p> <p><b>Packaging</b></p> <p>1 Box /          0,28 x 0,2 x 0,27 m.          Vol. 0,015 m³.          Gross weight 2 Kg.          Net weight 1,4 Kg.</p>	<table border="0"> <tr> <td><b>5774 18 /1B</b> Matt graphite lacquer (ADAPTA RF9913WX)</td> <td style="text-align: right;"><b>530,00 €</b></td> </tr> <tr> <td><b>5774 35 /1B</b> Matt brick lacquer (NCS S 4040-Y70R)</td> <td style="text-align: right;"><b>530,00 €</b></td> </tr> <tr> <td><b>5774 58 /1B</b> Matt cream lacquer (RAL 7044)</td> <td style="text-align: right;"><b>530,00 €</b></td> </tr> <tr> <td><b>5774 62 /1B</b> Matt green lacquer (NCS S 3010-G20Y)</td> <td style="text-align: right;"><b>530,00 €</b></td> </tr> </table> <p>LED   IP20  CE  Dimmer  EAC  A+</p>	<b>5774 18 /1B</b> Matt graphite lacquer (ADAPTA RF9913WX)	<b>530,00 €</b>	<b>5774 35 /1B</b> Matt brick lacquer (NCS S 4040-Y70R)	<b>530,00 €</b>	<b>5774 58 /1B</b> Matt cream lacquer (RAL 7044)	<b>530,00 €</b>	<b>5774 62 /1B</b> Matt green lacquer (NCS S 3010-G20Y)	<b>530,00 €</b>
<b>5774 18 /1B</b> Matt graphite lacquer (ADAPTA RF9913WX)	<b>530,00 €</b>											
<b>5774 35 /1B</b> Matt brick lacquer (NCS S 4040-Y70R)	<b>530,00 €</b>											
<b>5774 58 /1B</b> Matt cream lacquer (RAL 7044)	<b>530,00 €</b>											
<b>5774 62 /1B</b> Matt green lacquer (NCS S 3010-G20Y)	<b>530,00 €</b>											

5776



**Light Source**



1 x LED 4 W 350mA.  
**LED** 2700 K. CRI >90. 550 lm. 137,50 lm/W.  
**Driver** Constant Current 350 mA.  
 220-240V. 50/60Hz.  
**Dimming:** 1-10V + Push.

**Special order options available**

- LED 3000 K.
- LED 4000 K.
- Dimming: DALI or Casambi.
- Extra cable length.
- Min. quantity, surcharge and extra lead time apply.

**Materials**

Diffuser: Blown-glass.  
 Main Body: Aluminum.  
 Structures: Iron.

**Packaging**

1 Box /  
 0,51 x 0,51 x 0,26 m.  
 Vol. 0,043 m<sup>3</sup>.  
 Gross weight 5,5 Kg.  
 Net weight 4 Kg.

**5776 18 /1B** Matt graphite lacquer **640,00 €**  
 (ADAPTA RF9913WX)


**5776 35 /1B** Matt brick lacquer **640,00 €**  
 (NCS S 4040-Y70R)

**5776 58 /1B** Matt cream lacquer **640,00 €**  
 (RAL 7044)

**5776 62 /1B** Matt green lacquer **640,00 €**  
 (NCS S 3010-G20Y)



5778



**Light Source**



1 x LED 4 W 350mA.  
**LED** 2700 K. CRI >90. 550 lm. 137,50 lm/W.  
**Driver** Constant Current 350 mA.  
 220-240V. 50/60Hz.  
**Dimming:** 1-10V + Push.

**Special order options available**

- LED 3000 K.
- LED 4000 K.
- Dimming: DALI or Casambi.
- Extra cable length.
- Min. quantity, surcharge and extra lead time apply.

**Materials**

Diffuser: Blown-glass.  
 Main Body ceiling:  
 Aluminum.  
 Structures: Iron.

**Packaging**

1 Box /  
 0,33 x 0,33 x 0,42 m.  
 Vol. 0,045 m<sup>3</sup>.  
 Gross weight 4 Kg.  
 Net weight 2,5 Kg.

**5778 18 /1B** Matt graphite lacquer **640,00 €**  
 (ADAPTA RF9913WX)


**5778 35 /1B** Matt brick lacquer **640,00 €**  
 (NCS S 4040-Y70R)

**5778 58 /1B** Matt cream lacquer **640,00 €**  
 (RAL 7044)

**5778 62 /1B** Matt green lacquer **640,00 €**  
 (NCS S 3010-G20Y)



5780



**Light Source**



1 x LED 4 W 350mA.  
**LED** 2700 K. CRI >90. 550 lm. 137,50 lm/W.  
**Driver** Constant Current 350 mA.  
 220-240V. 50/60Hz.  
**Dimming:** 1-10V + Push.

**Special order options available**

- LED 3000 K.
- LED 4000 K.
- Dimming: DALI or Casambi.
- Extra cable length.
- Min. quantity, surcharge and extra lead time apply.

**Materials**

Diffuser: Blown-glass.  
 Main Body ceiling:  
 Aluminum.  
 Structures: Iron.

**Packaging**

1 Box /  
 0,41 x 0,41 x 0,2 m.  
 Vol. 0,033 m<sup>3</sup>.  
 Gross weight 4 Kg.  
 Net weight 2,5 Kg.

**5780 18 /1B** Matt graphite lacquer **640,00 €**  
 (ADAPTA RF9913WX)

**5780 35 /1B** Matt brick lacquer **640,00 €**  
 (NCS S 4040-Y70R)

**5780 58 /1B** Matt cream lacquer **640,00 €**  
 (RAL 7044)

**5780 62 /1B** Matt green lacquer **640,00 €**  
 (NCS S 3010-G20Y)





# Musa


Design by Note Design Studio

Delicate elegance.  
It explores the delicacy of nature  
which is both strong and powerful,  
in a poetic expression of light.



## Table

7400



### Light Source

1 x LED 4,5W 350mA.  
LED 2700 K. CRI >90. 449 lm. 99,7 lm/W.  
Driver Constant Voltage 24V.  
100-240V. 50/60Hz.  
Dimming: Push.

**Special order options available**  
- LED 3000 K.  
- LED 4000 K.  
Min. quantity, surcharge and extra  
lead time apply.

Electric cable with plug.

### Materials

Diffuser: Blown glass.  
Body: Aluminum.


### Packaging

1 Box /  
0,17 x 0,32 x 0,3 m.  
Vol. 0,0163 m<sup>3</sup>.  
Gross weight 1,3 Kg.  
Net weight 0,85 Kg.

7400 58 /15	Matt salmon lacquer (NCS S 1010-Y50R)	345,00 €
7400 59 /15	Matt mink lacquer (NCS S2005-Y50R)	345,00 €
7400 93 /15	Matt withe lacquer (RAL 9016)	335,00 €

LED IP20 CE Dimmer EAC Bi-volt A+

7402



### Light Source

1 x LED 4,5W 350mA.  
LED 2700 K. CRI >90. 449 lm. 99,7 lm/W.  
Driver Constant Voltage 24V.  
100-240V. 50/60Hz.  
Dimming: Push.

**Special order options available**  
- LED 3000 K.  
- LED 4000 K.  
Min. quantity, surcharge and extra  
lead time apply.

Electric cable with plug.

### Materials

Diffuser: Blown glass.  
Body: Aluminum.

### Packaging


1 Box /  
0,17 x 0,32 x 0,3 m.  
Vol. 0,0163 m<sup>3</sup>.  
Gross weight 1,3 Kg.  
Net weight 0,85 Kg.

7402 58 /15	Matt salmon lacquer (NCS S 1010-Y50R)	340,00 €
7402 59 /15	Matt mink lacquer (NCS S2005-Y50R)	340,00 €
7402 93 /15	Matt withe lacquer (RAL 9016)	335,00 €

LED IP20 CE Dimmer EAC Bi-volt A+



7404



**Light Source**



1 x LED 2,1W 700mA.  
**LED** 2700 K. CRI >90. 238 lm. 113 lm/W.  
**Driver** Constant Voltage 5V.  
100-240V. 50/60Hz.  
**Dimming:** Push.

**Special order options available**

- LED 3000 K.  
- LED 4000 K.  
Min. quantity, surcharge and extra lead time apply.

Portable version with battery.  
Electric cable with plug.

**Materials**

Diffuser: Blown glass.  
Body: Aluminum.


**Packaging**

1 Box /  
0,17 x 0,32 x 0,3 m.  
Vol. 0,0163 m<sup>3</sup>.  
Gross weight 1,4 Kg.  
Net weight 0,95 Kg.

**7404 58 /15** Matt salmon lacquer (NCS S 1010-Y50R) **395,00 €**


**7404 59 /15** Matt mink lacquer (NCS S2005-Y50R) **395,00 €**

**7404 93 /15** Matt withe lacquer (RAL 9016) **395,00 €**



Wall

7415



**Light Source**



1 x LED 4,5W 350mA.  
**LED** 2700 K. CRI >90. 449 lm. 99,7 lm/W.  
**Driver** Constant Current 350 mA.  
220-240V. 50/60Hz.  
**Dimming:** 1-10 V.

**Special order options available**

- LED 3000 K.  
- LED 4000 K.  
Min. quantity, surcharge and extra lead time apply.

**Materials**

Diffuser: Blown glass.  
Body: Aluminum.

**Packaging**

1 Box /  
0,17 x 0,32 x 0,3 m.  
Vol. 0,0163 m<sup>3</sup>.  
Gross weight 1,8 Kg.  
Net weight 1,3 Kg.

**7415 58 /13** Matt salmon lacquer (NCS S 1010-Y50R) **310,00 €**

**7415 59 /13** Matt mink lacquer (NCS S2005-Y50R) **310,00 €**

**7415 93 /13** Matt withe lacquer (RAL 9016) **305,00 €**



# Palma


Design by Antoni Arola

The interior ambience takes on a life of its own with the possibility of integrating plants with the lighting compositions.



## Wall

### 3700



#### Light Source

2 x LED 4,6W 500mA.  
LED 2700 K. CRI >90. 868 lm. 94,34 lm/W.  
Driver Constant Current 500 mA.  
110-240V. 50/60Hz.  
Dimming: 1-10V + Push.

#### Special order options available

- LED 3000 K.  
- LED 4000 K.  
Min. quantity, surcharge and extra lead time apply.

#### Materials

Diffuser: Blown-glass.  
Profile: Aluminum.

#### Packaging


1 Box /  
0,57 x 0,31 x 0,21 m.  
Vol. 0,0382 m<sup>3</sup>.  
Gross weight 3 Kg.  
Net weight 1,8 Kg.

**3700 18 /1B** Matt graphite lacquer **530,00 €**  
(ADAPTA RF 9913 WX)

**3700 93 /1B** Matt white lacquer **530,00 €**  
(RAL 9016)

LED IP20 CE Dimmer EAC Bi-volt A+

### 3702



#### Light Source

2 x LED 4,6W 500mA.  
LED 2700 K. CRI >90. 868 lm. 94,34 lm/W.  
Driver Constant Current 500 mA.  
110-240V. 50/60Hz.  
Dimming: 1-10V + Push.

#### Special order options available

- LED 3000 K.  
- LED 4000 K.  
- Dimming: DALI  
Min. quantity, surcharge and extra lead time apply.

#### Materials

Diffuser: Blown-glass.  
Profile: Aluminum.  
Planter: PMMA.

#### Packaging


1 Box /  
0,87 x 0,31 x 0,21 m.  
Vol. 0,0581 m<sup>3</sup>.  
Gross weight 4,05 Kg.  
Net weight 2,4 Kg.

**3702 18 /1B** Matt graphite lacquer **725,00 €**  
(ADAPTA RF 9913 WX)

**3702 93 /1B** Matt white lacquer **725,00 €**  
(RAL 9016)

LED IP20 CE Dimmer EAC Bi-volt A+

### 3704



#### Light Source

4 x LED 4,6W 500mA.  
LED 2700 K. CRI >90. 1736 lm. 94,34 lm/W.  
Driver Constant Current 500 mA.  
110-240V. 50/60Hz.  
Dimming: 1-10V + Push.

#### Special order options available

- LED 3000 K.  
- LED 4000 K.  
- Dimming: DALI.  
Min. quantity, surcharge and extra lead time apply.

#### Materials

Diffuser: Blown-glass.  
Profile: Aluminum.  
Planter: PMMA.

#### Packaging


2 Boxes /  
Total Vol. 0,0081 m<sup>3</sup>.  
Gross weight 6,2 Kg.  
Net weight 3,9 Kg.

**3704 18 /1B** Matt graphite lacquer **975,00 €**  
(ADAPTA RF 9913 WX)

**3704 93 /1B** Matt white lacquer **975,00 €**  
(RAL 9016)

LED IP20 CE Dimmer EAC Bi-volt A+

3706



**Light Source**



6 x LED 4,6W 500mA.  
 LED 2700 K. CRI >90. 2604 lm. 94,34 lm/W.  
 Driver Constant Current 500 mA.  
 110-240V. 50/60Hz.  
 Dimming: 1-10V + Push.

**Special order options available**

- LED 3000 K.
  - LED 4000 K.
  - Dimming: DALI.
- Min. quantity, surcharge and extra lead time apply.

**Materials**

Diffuser: Blown-glass.  
 Profile: Aluminum.  
 Planter: PMMA.

**Packaging**

2 Boxes /  
 Total Vol. 0,1793 m<sup>3</sup>.  
 Gross weight 6,4 Kg.  
 Net weight 3,9 Kg.

**3706 18 /1B** Matt graphite lacquer 1.430,00 €


(ADAPTA RF 9913 WX)

**3706 93 /1B** Matt white lacquer 1.430,00 €

(RAL 9016)



3710



**Light Source**



2 x LED 4,6W 500mA.  
 LED 2700 K. CRI >90. 868 lm. 94,34 lm/W.  
 Driver Constant Current 500 mA.  
 110-240V. 50/60Hz.  
 Dimming: 1-10V + Push.

**Special order options available**

- LED 3000 K.
  - LED 4000 K.
- Min. quantity, surcharge and extra lead time apply.

**Materials**

Diffuser: Blown-glass.  
 Profile: Aluminum.

**Packaging**

1 Box /  
 0,57 x 0,31 x 0,21 m.  
 Vol. 0,0382 m<sup>3</sup>.  
 Gross weight 2,6 Kg.  
 Net weight 1,8 Kg.

**3710 18 /1B** Matt graphite lacquer 565,00 €


(ADAPTA RF 9913 WX)

**3710 93 /1B** Matt white lacquer 565,00 €

(RAL 9016)



3714



**Light Source**



2 x LED 4,6W 500mA.  
 LED 2700 K. CRI >90. 868 lm. 94,34 lm/W.  
 Driver Constant Current 500 mA.  
 110-240V. 50/60Hz.  
 Dimming: 1-10V + Push.

**Special order options available**

- LED 3000 K.
  - LED 4000 K.
  - Dimming: DALI.
- Min. quantity, surcharge and extra lead time apply.

**Materials**

Diffuser: Blown-glass.  
 Profile: Aluminum.  
 Planter: PMMA.

**Packaging**

2 Boxes /  
 Total Vol. 0,0081 m<sup>3</sup>.  
 Gross weight 5,2 Kg.  
 Net weight 2,9 Kg.

**3714 18 /1B** Matt graphite lacquer 790,00 €


(ADAPTA RF 9913 WX)

**3714 93 /1B** Matt white lacquer 790,00 €

(RAL 9016)



3716



**Light Source**



4 x LED 4,6W 500mA.  
 LED 2700 K. CRI >90. 1736 lm. 94,34 lm/W.  
 Driver Constant Current 500 mA.  
 110-240V. 50/60Hz.  
 Dimming: 1-10V + Push.

**Special order options available**

- LED 3000 K.
  - LED 4000 K.
  - Dimming: DALI.
- Min. quantity, surcharge and extra lead time apply.

**Materials**

Diffuser: Blown-glass.  
 Profile: Aluminum.

**Packaging**

2 Boxes /  
 Total Vol. 0,0081 m<sup>3</sup>.  
 Gross weight 6,5 Kg.  
 Net weight 4,2 Kg.

**3716 18 /1B** Matt graphite lacquer 930,00 €


(ADAPTA RF 9913 WX)

**3716 93 /1B** Matt white lacquer 930,00 €

(RAL 9016)



**3718**



**Light Source**  
 Ⓢ  
 6 x LED 4,6W 500mA.  
**LED** 2700 K. CRI >90. 2604 lm. 94,34 lm/W.  
**Driver** Constant Current 500 mA.  
 110-240V. 50/60Hz.  
**Dimming:** 1-10V + Push.

**Special order options available**  
 - LED 3000 K.  
 - LED 4000 K.  
 - Dimming: DALI.  
 Min. quantity, surcharge and extra lead time apply.

**Materials**  
 Diffuser: Blown-glass.  
 Profile: Aluminum.  
 Planter: PMMA.


**Packaging**  
 2 Boxes /  
 Total Vol. 0,1793 m<sup>3</sup>.  
 Gross weight 8,6 Kg.  
 Net weight 6,1 Kg.

<b>3718 18 /1B</b> Matt graphite lacquer (ADAPTA RF 9913 WX)	<b>1.520,00 €</b>
<b>3718 93 /1B</b> Matt white lacquer (RAL 9016)	<b>1.520,00 €</b>

LED IP20 CE Dimmer EAC Bi-volt A+

Pendants

**3720**



**Light Source**  
 Ⓢ  
 2 x LED 4,6W 500mA.  
**LED** 2700 K. CRI >90. 868 lm. 94,34 lm/W.  
**Driver** Constant Current 500 mA.  
 110-240V. 50/60Hz.  
**Dimming:** 1-10V + Push.

**Special order options available**  
 - LED 3000 K.  
 - LED 4000 K.  
 - Dimming: DALI or Casambi.  
 - Extra cable length.  
 Min. quantity, surcharge and extra lead time apply.


**Materials**  
 Diffuser: Blown-glass.  
 Profile: Aluminum.

**Packaging**  
 1 Box /  
 0,71 x 0,27 x 0,21 m.  
 Vol. 0,0413 m<sup>3</sup>.  
 Gross weight 3,75 Kg.  
 Net weight 2,8 Kg.

<b>3720 18 /1B</b> Matt graphite lacquer (ADAPTA RF 9913 WX)	<b>595,00 €</b>
<b>3720 93 /1B</b> Matt white lacquer (RAL 9016)	<b>595,00 €</b>

LED IP20 CE Dimmer EAC Bi-volt A+

**3724**



**Light Source**  
 Ⓢ  
 2 x LED 4,6W 500mA.  
**LED** 2700 K. CRI >90. 868 lm. 94,34 lm/W.  
**Driver** Constant Current 500 mA.  
 110-240V. 50/60Hz.  
**Dimming:** 1-10V + Push.

**Special order options available**  
 - LED 3000 K.  
 - LED 4000 K.  
 - Dimming: DALI or Casambi.  
 - Extra cable length.  
 Min. quantity, surcharge and extra lead time apply.


**Materials**  
 Diffuser: Blown-glass.  
 Profile: Aluminum.  
 Planter: PMMA.

**Packaging**  
 1 Box /  
 1,02 x 0,27 x 0,21 m.  
 Vol. 0,0588 m<sup>3</sup>.  
 Gross weight 4,6 Kg.  
 Net weight 3,3 Kg.

<b>3724 18 /1B</b> Matt graphite lacquer (ADAPTA RF 9913 WX)	<b>765,00 €</b>
<b>3724 93 /1B</b> Matt white lacquer (RAL 9016)	<b>765,00 €</b>

LED IP20 CE Dimmer EAC Bi-volt A+

3726



**Light Source**



4 x LED 4,6W 500mA.  
**LED** 2700 K. CRI >90. 1736 lm. 94,34 lm/W.  
**Driver** Constant Current 500 mA.  
 110-240V. 50/60Hz.  
**Dimming:** 1-10V + Push.

**Special order options available**

- LED 3000 K.
  - LED 4000 K.
  - Dimming: DALI or Casambi.
  - Extra cable length.
- Min. quantity, surcharge and extra lead time apply.

**Materials**


Diffuser: Blown-glass.  
 Profile: Aluminum.

**Packaging**


1 Box /  
 1,02 x 0,27 x 0,21 m.  
 Vol. 0,0588 m<sup>3</sup>.  
 Gross weight 5,4 Kg.  
 Net weight 4,1 Kg.

**3726 18 /1B** Matt graphite lacquer **910,00 €**  
 (ADAPTA RF 9913 WX)

**3726 93 /1B** Matt white lacquer **910,00 €**  
 (RAL 9016)



3728



**Light Source**



4 x LED 4,6W 500mA.  
**LED** 2700 K. CRI >90. 1736 lm. 94,34 lm/W.  
**Driver** Constant Current 500 mA.  
 110-240V. 50/60Hz.  
**Dimming:** 1-10V + Push.

**Special order options available**

- LED 3000 K.
  - LED 4000 K.
  - Dimming: DALI or Casambi.
  - Extra cable length.
- Min. quantity, surcharge and extra lead time apply.

**Materials**

Diffuser: Blown-glass.  
 Profile: Aluminum.  
 Planter: PMMA.

**Packaging**


1 Box /  
 0,75 x 0,53 x 0,21 m.  
 Vol. 0,0857 m<sup>3</sup>.  
 Gross weight 8,8 Kg.  
 Net weight 4,7 Kg.

**3728 18 /1B** Matt graphite lacquer **975,00 €**  
 (ADAPTA RF 9913 WX)

**3728 93 /1B** Matt white lacquer **975,00 €**  
 (RAL 9016)



3730



**Light Source**



6 x LED 4,6W 500mA.  
**LED** 2700 K. CRI >90. 2604 lm. 94,34 lm/W.  
**Driver** Constant Current 500 mA.  
 110-240V. 50/60Hz.  
**Dimming:** DALI + 1-10V + Push.

**Special order options available**

- LED 3000 K.
  - LED 4000 K.
  - Dimming: Casambi.
  - Extra cable length.
- Min. quantity, surcharge and extra lead time apply.

**Materials**


Diffuser: Blown-glass.  
 Profile: Aluminum.

**Packaging**


1 Box /  
 0,75 x 0,53 x 0,21 m.  
 Vol. 0,0857 m<sup>3</sup>.  
 Weight 9,5 Kg.  
 Net weight 5,4 Kg.

**3730 18 /1A** Matt graphite lacquer **1.275,00 €**  
 (ADAPTA RF 9913 WX)

**3730 93 /1A** Matt white lacquer **1.275,00 €**  
 (RAL 9016)



3734



**Light Source**

1 x LED 2W 500 mA.  
4 x LED 4,6W 500mA.  
LED 2700 K. CRI >90. 1829,9 lm. 89,7 lm/W.  
Driver Constant Current 500 mA.  
110-240V. 50/60Hz.  
Dimming: DALI + 1-10V + Push.

**Special order options available**

- LED 3000 K.
  - LED 4000 K.
  - Dimming: Casambi.
  - Extra cable length.
- Min. quantity, surcharge and extra lead time apply.

**Materials**

Diffuser: Blown-glass.  
Profile: Aluminum.  
Planter: PMMA.

**Packaging**

2 Boxes /  
Vol. 0,1374 m<sup>3</sup>.  
Gross weight 8 Kg.  
Net weight 5,5 Kg.

3734 18 /1A Matt graphite lacquer 1.525,00 €


(ADAPTA RF 9913 WX)

3734 93 /1A Matt white lacquer 1.525,00 €

(RAL 9016)



3736



**Light Source**

1 x LED 2W 500mA.  
6 x LED 4,6W 500mA.  
LED 2700 K. CRI >90. 2730,7 lm. 92,25 lm/W.  
Driver Constant Current 500 mA.  
110-240V. 50/60Hz.  
Dimming: DALI + 1-10V + Push.

**Special order options available**

- LED 3000 K.
  - LED 4000 K.
  - Dimming: Casambi.
  - Extra cable length.
- Min. quantity, surcharge and extra lead time apply.

**Materials**

Diffuser: Blown-glass.  
Profile: Aluminum.  
Planter: PMMA.

**Packaging**

2 Boxes /  
Vol. 0,1793 m<sup>3</sup>.  
Gross weight 9,1 Kg.  
Net weight 6,6 Kg.

3736 18 /1A Matt graphite lacquer 1.805,00 €

(ADAPTA RF 9913 WX)


3736 93 /1A Matt white lacquer 1.805,00 €

(RAL 9016)



Table

3740



**Light Source**

2 x LED 4,6W 500mA.  
LED 2700 K. CRI >90. 868 lm. 94,34 lm/W.  
Driver Constant Current 500 mA.  
100-240V. 50/60Hz.  
Dimming: Push.

**Special order options available**

- LED 3000 K.
  - LED 4000 K.
- Min. quantity, surcharge and extra lead time apply.

Electric cable with plug and push-button.

**Materials**

Diffuser: Blown-glass.  
Profile: Aluminum.  
Rods: Steel.

**Packaging**

1 Box /  
0,24 x 0,24 x 0,49 m.  
Vol. 0,0282 m<sup>3</sup>.  
Gross weight 1,7 Kg.  
Net weight 1,2 Kg.

3740 18 /15 Matt graphite lacquer 515,00 €

(ADAPTA RF 9913 WX)

3740 93 /15 Matt white lacquer 515,00 €

(RAL 9016)



## Professional area at vibia.com

### A new way of Working


We believe in cooperation and we bring you new ways to collaborate and online tools at [vibia.com](http://vibia.com) that we will help to work together efficiently. We propose a new way of working to have successful lighting projects.

Download all the information you need


Download and export all product information you need for your projects in one click:



Spec sheet




2D, 3D




Photometry




HD images



Project report



Budgets



Product configuration spec sheet



Installation instructions

# Item recoding

## ITEM

Reference			
1510	18	/1	B.
Model 4 digits	Finish 2 digits	LED color temperature 1 digit  <b>0</b> > Without LED <b>1</b> > 2700 K <b>2</b> > 3000 K <b>3</b> > 3500 K <b>4</b> > 4000 K	Dimming typology 1 digit  <b>0</b> > Dimmable: No <b>1</b> > DALI <b>2</b> > 0-10V <b>3</b> > 1-10V <b>4</b> > TRIAC <b>5</b> > Push <b>6</b> > Sensor  <b>A</b> > 1+3+5 (DALI + 1-10V + Push) <b>B</b> > 3+5 (1-10V + Push) <b>C</b> > 1+3 (DALI + 1-10V) <b>Z</b> > Casambi*  <small>* Casambi refers to wireless dimming solutions. Ask for more information.</small>

Should you need a non standard product.  
Please, request sales conditions.



# Glossary

## CE

Product complying with the EN60598-1 and EN60598-2-1 European regulation.

## IP

Level of protection. Electrical products are prepared to avoid solids and liquids from getting in contact with the electrical parts. Such resistance is expressed as IP followed by two digits: the first digit indicates the level of resistance to solid objects and the second one to liquids. The scale goes from IP20 to IP68.

### IP20

Product protected against solid object as big as or bigger than 12 mm. No protection against water.

### IP64

Dust-tight product. Protected against water spray.

### IP65

Dust-tight product. Protected against water trickles.

### IP66

Dust-tight product. Protected against water spurts.

## Insulation class



Class I. Product with an additional protection cable (grounds).



Class II. Product protected against electric shock having a double insulation. No grounds.



Class III. Product protected against electric shock based on a very-low voltage system. No grounds.

## Flammable surfaces



Product suitable to be installed on any kind of surface (EN 60598).



Product that **CANNOT** be in contact with normally-flammable materials (wood or others).

### Bi-volt

Valid for the range 110V-230V, 50-60Hz.



Contains lithium-ion battery. Li-Ion battery must be disposed of into labelLED containers, returned to special waste collection points or retailers of electrical equipment.

## Cut out



Property for embedding dimension.

## No electronic equipment included



The lamp does not include any electronic equipment (transformer, driver, ballast...).

## Integrated Dimmer



Lamp that has a integrated dimmer.

## EU Energetic label

More Efficacy



Less Efficacy

## Light source information

CRI  
Color rendering index.

K  
Color temperature.

lm  
Lumen, unit of measurement of luminous flux.

lm/W  
Light source performance. Relationship between the luminous flux (lm) and the power consumed (W) by the source.



Product complying with TP TC 004/2011 and TP TC 020/2011. Custom Union Regulation.

**Very important**

Vibia Lighting S.L.U. has the right to change any model or finish of the products included in the picture catalogue without any previous notice.

Vibia Lighting, S.L.U.

**Office**

Barcelona, 72 - 74.  
08820 El Prat de Llobregat (Barcelona).  
International Tel 0034 934 796 971. Fax 0034 934 782 026.

**Logistic Centre**

Autovia de Castelldefels Km 8,7 - Nave 7 Posterior  
(C31 - Salida 190 Cargoparc - Viladecans)  
08830 Sant Boi de Llobregat (Barcelona).  
+41º 18' 27.71", +2º 3' 27.66"

COPYRIGHT© VIBIA LIGHTING S.L.U. ALL RIGHTS RESERVED.



