

Array
Flamingo Mini

VIBIA

Price list October 2023 €

VIBIA

Recommended sales prices - vat not included this price list updates models and finishes in production, which may differ from photographs published in catalogue

See terms of sale in the
current general price list

Array
6

Flamingo Mini
16

Array

Design by Umut Yamac

A striking pendant of impressive proportions, Array is an exploration of thread and its potential to create lightweight and dynamic sculptures of light.

Pendants

Height 70 cm



Ø 37 cm


1800



Ø 55 cm


1815

Height 110 cm




Ø 37 cm

1805




Ø 55 cm

1820



Ø 83 cm

1830



Ø 124 cm

1840

Height 190 cm



Ø 37 cm

1810



Ø 55 cm

1825



Ø 83 cm

1835



Ø 124 cm

1845

Height 70 cm



Ø 55 cm

1850

Height 110 cm



Ø 55 cm

1855



Ø 83 cm

1865



Ø 124 cm

1875

Height 190 cm



Ø 55 cm

1860



Ø 83 cm


1870



Ø 124 cm

1880

1800



Finishes (threads)	LED Colour Temperature	Control	
● 24/ __ Beige M1 (NCS S 2005-Y50R)	/1_ 2700 K	1800 __ / _ 3	2.180,00 €
● 37/ __ Terra Red (NCS S4040-Y70R)	CRI >90 2662 lm 121 lm/W	1-10V	
● 47/ __ Green L1 (NCS S 4005-G80Y)		1800 __ / _ D	2.290,00 €
		Push; DALI-2	
		1800 __ / _ Z	2.300,00 €
		Casambi	

Finishes (rings and canopy)
● Black (NCS S 8500-N)

Materials
Upper ring: Aluminum. Bottom ring: Brass.
Diffuser: PC- Polycarbonate. Threads: PES FR.

Light Source and electronics
1 x LED STRIP 22W 48V
Constant Voltage 48V
90-305Vac 50/60Hz


Packaging
1 Box 0,62 x 0,62 x 0,12 m
Vol 0,0461 m³
Gross weight 7 Kg Net weight 4,8 Kg



Multi-volt Dimmer

Select Electrical connection
_10 Surface
_24 Built-in S
_31 Remote Micro

1805




Finishes (threads)	LED Colour Temperature	Control	
● 24/ __ Beige M1 (NCS S 2005-Y50R)	/1_ 2700 K	1805 __ / _ 3	2.290,00 €
● 37/ __ Terra Red (NCS S4040-Y70R)	CRI >90 2662 lm 121 lm/W	1-10V	
● 47/ __ Green L1 (NCS S 4005-G80Y)		1805 __ / _ D	2.405,00 €
		Push; DALI-2	
		1805 __ / _ Z	2.410,00 €
		Casambi	

Finishes (rings and canopy)
● Black (NCS S 8500-N)

Materials
Upper ring: Aluminum. Bottom ring: Brass.
Diffuser: PC- Polycarbonate. Threads: PES FR.

Light Source and electronics
1 x LED STRIP 22W 48V
Constant Voltage 48V
90-305Vac 50/60Hz


Packaging
1 Box 0,62 x 0,62 x 0,12 m
Vol 0,0461 m³
Gross weight 7,3 Kg Net weight 5,1 Kg



Multi-volt Dimmer

Select Electrical connection
_10 Surface
_24 Built-in S
_31 Remote Micro

1810




Finishes (threads)	LED Colour Temperature	Control	
● 24/ __ Beige M1 (NCS S 2005-Y50R)	/1_ 2700 K	1810 __ / _ 3	2.340,00 €
● 37/ __ Terra Red (NCS S4040-Y70R)	CRI >90 2662 lm 121 lm/W	1-10V	
● 47/ __ Green L1 (NCS S 4005-G80Y)		1810 __ / _ D	2.460,00 €
		Push; DALI-2	
		1810 __ / _ Z	2.460,00 €
		Casambi	

Finishes (rings and canopy)
● Black (NCS S 8500-N)

Materials
Upper ring: Aluminum. Bottom ring: Brass.
Diffuser: PC- Polycarbonate. Threads: PES FR.

Light Source and electronics
1 x LED STRIP 22W 48V
Constant Voltage 48V
90-305Vac 50/60Hz


Packaging
1 Box 0,62 x 0,62 x 0,12 m
Vol 0,0461 m³
Gross weight 7,6 Kg Net weight 5,4 Kg



Multi-volt Dimmer

Select Electrical connection
_10 Surface
_24 Built-in S
_31 Remote Micro

1815



Finishes (threads)	LED Colour Temperature
● 24/ _ _ Beige M1 (NCS S 2005-Y50R)	/1_ 2700 K
● 37/ _ _ Terra Red (NCS S4040-Y70R)	CRI >90 3993 lm 121 lm/W
● 47/ _ _ Green L1 (NCS S 4005-G80Y)	

Control	
1815 _ _ / _ 3 1-10V	2.560,00 €
1815 _ _ / _ D Push; DALI-2	2.690,00 €
1815 _ _ / _ Z Casambi	2.680,00 €

Finishes (rings and canopy)

● Black (NCS S 8500-N)

Materials


Upper ring: Aluminum. Bottom ring: Brass.
Diffuser: PC- Polycarbonate. Threads: PES FR.

Light Source and electronics

1 x LED STRIP 33W 48V
Constant Voltage 48V
90-305Vac 50/60Hz

Packaging

1 Box 0,62 x 0,62 x 0,12 m
Vol 0,0461 m³
Gross weight 8,4 Kg Net weight 6,2 Kg




Multi-volt Dimmer



Select Electrical connection
_10 Surface
_24 Built-in S
_31 Remote Micro

1820



Finishes (threads)	LED Colour Temperature
● 24/ _ _ Beige M1 (NCS S 2005-Y50R)	/1_ 2700 K
● 37/ _ _ Terra Red (NCS S4040-Y70R)	CRI >90 3993 lm 121 lm/W
● 47/ _ _ Green L1 (NCS S 4005-G80Y)	

Control	
1820 _ _ / _ 3 1-10V	2.755,00 €
1820 _ _ / _ D Push; DALI-2	2.895,00 €
1820 _ _ / _ Z Casambi	2.875,00 €

Finishes (rings and canopy)

● Black (NCS S 8500-N)

Materials


Upper ring: Aluminum. Bottom ring: Brass.
Diffuser: PC- Polycarbonate. Threads: PES FR.

Light Source and electronics

1 x LED STRIP 33W 48V
Constant Voltage 48V
90-305Vac 50/60Hz

Packaging

1 Box 0,62 x 0,62 x 0,12 m
Vol 0,0461 m³
Gross weight 8,8 Kg Net weight 6,6 Kg




Multi-volt Dimmer



Select Electrical connection
_10 Surface
_24 Built-in S
_31 Remote Micro

1825



Finishes (threads)	LED Colour Temperature
● 24/ _ _ Beige M1 (NCS S 2005-Y50R)	/1_ 2700 K
● 37/ _ _ Terra Red (NCS S4040-Y70R)	CRI >90 3993 lm 121 lm/W
● 47/ _ _ Green L1 (NCS S 4005-G80Y)	

Control	
1825 _ _ / _ 3 1-10V	2.825,00 €
1825 _ _ / _ D Push; DALI-2	2.970,00 €
1825 _ _ / _ Z Casambi	2.945,00 €

Finishes (rings and canopy)

● Black (NCS S 8500-N)

Materials


Upper ring: Aluminum. Bottom ring: Brass.
Diffuser: PC- Polycarbonate. Threads: PES FR.

Light Source and electronics

1 x LED STRIP 33W 48V
Constant Voltage 48V
90-305Vac 50/60Hz

Packaging

1 Box 0,62 x 0,62 x 0,12 m
Vol 0,0461 m³
Gross weight 9,2 Kg Net weight 7 Kg



Multi-volt Dimmer



Select Electrical connection
_10 Surface
_24 Built-in S
_31 Remote Micro


1830



Finishes (threads)

- 24/ __ Beige M1 (NCS S 2005-Y50R)
- 37/ __ Terra Red (NCS S4040-Y70R)
- 47/ __ Green L1 (NCS S 4005-G80Y)

LED Colour Temperature

/1_ 2700 K  CRI >90 6050 lm 121 lm/W

Control

1830 __ / _ 3 1-10V	3.575,00 €
1830 __ / _ D Push; DALI-2	3.755,00 €
1830 __ / _ Z Casambi	3.695,00 €

Finishes (rings and canopy)

- Black (NCS S 8500-N)

Materials





Upper ring: Aluminum. Bottom ring: Brass.
Diffuser: PC- Polycarbonate. Threads: PES FR.

Light Source and electronics


1 x LED STRIP 50W 48V
Constant Voltage 48V
90~305Vac 50/60Hz

Packaging

1 Box 0,93 x 0,93 x 0,120 m
Vol 0,1037 m³
Gross weight 13,5 Kg Net weight 9,5 Kg

LED     

Multi-volt **Dimmer**

 Select Electrical connection

- _10 Surface
- _24 Built-in S
- _31 Remote Micro

1835



Finishes (threads)

- 24/ __ Beige M1 (NCS S 2005-Y50R)
- 37/ __ Terra Red (NCS S4040-Y70R)
- 47/ __ Green L1 (NCS S 4005-G80Y)

LED Colour Temperature

/1_ 2700 K  CRI >90 6050 lm 121 lm/W

Control

1835 __ / _ 3 1-10V	3.665,00 €
1835 __ / _ D Push; DALI-2	3.850,00 €
1835 __ / _ Z Casambi	3.785,00 €

Finishes (rings and canopy)

- Black (NCS S 8500-N)

Materials




Upper ring: Aluminum. Bottom ring: Brass.
Diffuser: PC- Polycarbonate. Threads: PES FR.

Light Source and electronics


1 x LED STRIP 50W 48V
Constant Voltage 48V
90~305Vac 50/60Hz

Packaging

1 Box 0,93 x 0,93 x 0,120 m
Vol 0,1037 m³
Gross weight 14,1 Kg Net weight 10,1 Kg

LED     

Multi-volt **Dimmer**

 Select Electrical connection

- _10 Surface
- _24 Built-in S
- _31 Remote Micro

1840



Finishes (threads)

- 24/ __ Beige M1 (NCS S 2005-Y50R)
- 37/ __ Terra Red (NCS S4040-Y70R)
- 47/ __ Green L1 (NCS S 4005-G80Y)

LED Colour Temperature

/1_ 2700 K  CRI >90 9196 lm 121 lm/W

Control

1840 __ / _ 3 1-10V	4.985,00 €
1840 __ / _ D Push; DALI-2	5.235,00 €
1840 __ / _ Z Casambi	5.105,00 €

Finishes (rings and canopy)

- Black (NCS S 8500-N)

Materials

Upper ring: Aluminum. Bottom ring: Brass.
Diffuser: PC- Polycarbonate. Threads: PES FR.

Light Source and electronics


1 x LED STRIP 76W 48V
Constant Voltage 48V
90~305Vac 50/60Hz

Packaging

1 Box 1,35 x 1,35 x 0,120 m
Vol 0,2187 m³
Gross weight 19 Kg Net weight 13 Kg

LED     

Multi-volt **Dimmer**


 Select Electrical connection

- _10 Surface
- _24 Built-in S
- _31 Remote Micro

1160 | 10 | /1A | 18

Model | Finish | LED Colour Temperature | Control | Electrical connection

1845



Finishes (threads)	LED Colour Temperature
● 24/ _ _ Beige M1 (NCS S 2005-Y50R)	/1_ 2700 K CRI >90 9196 lm 121 lm/W
● 37/ _ _ Terra Red (NCS S4040-Y70R)	
● 47/ _ _ Green L1 (NCS S 4005-G80Y)	

Control	
1845 _ _ / _ 3 1-10V	5.145,00 €
1845 _ _ / _ D Push; DALI-2	5.405,00 €
1845 _ _ / _ Z Casambi	5.265,00 €

Finishes (rings and canopy)
● Black (NCS S 8500-N)

Materials

Upper ring: Aluminum. Bottom ring: Brass.
Diffuser: PC- Polycarbonate. Threads: PES FR.


Light Source and electronics

1 x LED STRIP 76W 48V
Constant Voltage 48V
90-305Vac 50/60Hz


Packaging

1 Box 1,35 x 1,35 x 0,120 m
Vol 0,2187 m³
Gross weight 19,9 Kg Net weight 13,9 Kg

Select Electrical connection
_10 Surface
_24 Built-in S
_31 Remote Micro



1850



Finishes (threads)	LED Colour Temperature	Control	
● 24/ __ Beige M1 (NCS S 2005-Y50R)	/1 2700 K	1850 __ / _ 3	2.395,00 €
● 37/ __ Terra Red (NCS S4040-Y70R)	CRI >90 3993 lm 121 lm/W	1-10V	
● 47/ __ Green L1 (NCS S 4005-G80Y)		1850 __ / _ D	2.515,00 €
		Push; DALI-2	
		1850 __ / _ Z	2.515,00 €
		Casambi	

Finishes (rings and canopy)
● Black (NCS S 8500-N)

Materials
Upper ring: Aluminum. Bottom ring: Brass.
Diffuser: PC- Polycarbonate. Threads: PES FR.

Light Source and electronics
1 x LED STRIP 33W 48V
Constant Voltage 48V
90-305Vac 50/60Hz


Packaging
1 Box 0,62 x 0,62 x 0,121 m
Vol 0,0461 m³
Gross weight 7,9 Kg Net weight 5,7 Kg



Multi-volt Dimmer

Select Electrical connection
_10 Surface
_24 Built-in S
_31 Remote Micro

1855



Finishes (threads)	LED Colour Temperature	Control	
● 24/ __ Beige M1 (NCS S 2005-Y50R)	/1 2700 K	1855 __ / _ 3	2.580,00 €
● 37/ __ Terra Red (NCS S4040-Y70R)	CRI >90 3993 lm 121 lm/W	1-10V	
● 47/ __ Green L1 (NCS S 4005-G80Y)		1855 __ / _ D	2.710,00 €
		Push; DALI-2	
		1855 __ / _ Z	2.700,00 €
		Casambi	

Finishes (rings and canopy)
● Black (NCS S 8500-N)

Materials
Upper ring: Aluminum. Bottom ring: Brass.
Diffuser: PC- Polycarbonate. Threads: PES FR.

Light Source and electronics
1 x LED STRIP 33W 48V
Constant Voltage 48V
90-305Vac 50/60Hz


Packaging
1 Box 0,62 x 0,62 x 0,121 m
Vol 0,0461 m³
Gross weight 8,3 Kg Net weight 6,1 Kg



Multi-volt Dimmer

Select Electrical connection
_10 Surface
_24 Built-in S
_31 Remote Micro

1860



Finishes (threads)	LED Colour Temperature	Control	
● 24/ __ Beige M1 (NCS S 2005-Y50R)	/1 2700 K	1860 __ / _ 3	2.685,00 €
● 37/ __ Terra Red (NCS S4040-Y70R)	CRI >90 3993 lm 121 lm/W	1-10V	
● 47/ __ Green L1 (NCS S 4005-G80Y)		1860 __ / _ D	2.820,00 €
		Push; DALI-2	
		1860 __ / _ Z	2.805,00 €
		Casambi	

Finishes (rings and canopy)
● Black (NCS S 8500-N)

Materials
Upper ring: Aluminum. Bottom ring: Brass.
Diffuser: PC- Polycarbonate. Threads: PES FR.

Light Source and electronics
1 x LED STRIP 33W 48V
Constant Voltage 48V
90-305Vac 50/60Hz


Packaging
1 Box 0,62 x 0,62 x 0,121 m
Vol 0,0461 m³
Gross weight 8,7 Kg Net weight 6,5 Kg



Multi-volt Dimmer

Select Electrical connection
_10 Surface
_24 Built-in S
_31 Remote Micro

1865



Finishes (threads)	LED Colour Temperature
● 24/ _ _ Beige M1 (NCS S 2005-Y50R)	/1_ 2700 K CRI >90 6050 lm 121 lm/W
● 37/ _ _ Terra Red (NCS S4040-Y70R)	
● 47/ _ _ Green L1 (NCS S 4005-G80Y)	

Control	
1865 _ _ / _ 3 1-10V	3.465,00 €
1865 _ _ / _ D Push; DALI-2	3.640,00 €
1865 _ _ / _ Z Casambi	3.585,00 €

Finishes (rings and canopy)

● Black (NCS S 8500-N)

Materials
Upper ring: Aluminum. Bottom ring: Brass.
Diffuser: PC- Polycarbonate. Threads: PES FR.

Light Source and electronics
1 x LED STRIP 50W 48V
Constant Voltage 48V
90~305Vac 50/60Hz


Packaging
1 Box 0,93 x 0,93 x 0,120 m
Vol 0,1037 m³
Gross weight 11,8 Kg Net weight 8,8 Kg



Multi-volt Dimmer

Select Electrical connection
_10 Surface
_24 Built-in S
_31 Remote Micro

1870



Finishes (threads)	LED Colour Temperature
● 24/ _ _ Beige M1 (NCS S 2005-Y50R)	/1_ 2700 K CRI >90 6050 lm 121 lm/W
● 37/ _ _ Terra Red (NCS S4040-Y70R)	
● 47/ _ _ Green L1 (NCS S 4005-G80Y)	

Control	
1870 _ _ / _ 3 1-10V	3.615,00 €
1870 _ _ / _ D Push; DALI-2	3.800,00 €
1870 _ _ / _ Z Casambi	3.735,00 €

Finishes (rings and canopy)

● Black (NCS S 8500-N)

Materials
Upper ring: Aluminum. Bottom ring: Brass.
Diffuser: PC- Polycarbonate. Threads: PES FR.

Light Source and electronics
1 x LED STRIP 50W 48V
Constant Voltage 48V
90~305Vac 50/60Hz


Packaging
1 Box 0,93 x 0,93 x 0,120 m
Vol 0,1037 m³
Gross weight 12,4 Kg Net weight 9,4 Kg



Multi-volt Dimmer

Select Electrical connection
_10 Surface
_24 Built-in S
_31 Remote Micro

1875



Finishes (threads)	LED Colour Temperature
● 24/ _ _ Beige M1 (NCS S 2005-Y50R)	/1_ 2700 K CRI >90 9196 lm 121 lm/W
● 37/ _ _ Terra Red (NCS S4040-Y70R)	
● 47/ _ _ Green L1 (NCS S 4005-G80Y)	

Control	
1875 _ _ / _ 3 1-10V	4.585,00 €
1875 _ _ / _ D Push; DALI-2	4.815,00 €
1875 _ _ / _ Z Casambi	4.705,00 €

Finishes (rings and canopy)

● Black (NCS S 8500-N)

Materials
Upper ring: Aluminum. Bottom ring: Brass.
Diffuser: PC- Polycarbonate. Threads: PES FR.

Light Source and electronics
1 x LED STRIP 76W 48V
Constant Voltage 48V
90~305Vac 50/60Hz


Packaging
1 Box 1,35 x 1,35 x 0,12 m
Vol 0,2187 m³
Gross weight 15,9 Kg Net weight 11,9 Kg



Multi-volt Dimmer

Select Electrical connection
_10 Surface
_24 Built-in S
_31 Remote Micro

1880



Finishes (threads)	LED Colour Temperature	Control	
● 24/ _ _ Beige M1 (NCS S 2005-Y50R)	/1_ 2700 K	1880 _ _ / _ 3	4.810,00 €
● 37/ _ _ Terra Red (NCS S4040-Y70R)	CRI >90 9196 lm 121lm/W	1-10V	
● 47/ _ _ Green L1 (NCS S 4005-G80Y)		1880 _ _ / _ D	5.055,00 €
		Push; DALI-2	
		1880 _ _ / _ Z	4.930,00 €
		Casambi	

Finishes (rings and canopy)
● **Black** (NCS S 8500-N)

Materials
Upper ring: Aluminum. Bottom ring: Brass.
Diffuser: PC- Polycarbonate. Threads: PES FR.

Light Source and electronics
1 x LED STRIP 76W 48V
Constant Voltage 48V
90-305Vac 50/60Hz

Packaging
1 Box 1,35 x 1,35 x 0,12 m
Vol 0,2187 m³
Gross weight 16,8 Kg Net weight 12,8 Kg

Notes
Additional cable length
personalisation **16,00 €/m**



Select Electrical connection
_10 Surface
_24 Built-in S
_31 Remote Micro

Electrical connection options

Choose your preferred installation option according to your needs.

Drop ceiling

Regular ceiling

_31 Remote Micro

_24 Built-in S

_10 Surface



Ø 3 cm
height 7 cm
for plaster ceilings.
Black finish.

Ø 8 cm
height 6 cm
black finish.

Ø 25,5 cm
height 4,5 cm
black finish.

Ø 37,5 cm
height 4,5 cm
black finish.



Flamingo Mini

Design by Antoni Arola

Flamingo Mini creates multi-layered silhouettes with an avant-garde, intriguing aesthetic. This hanging lamp recalls a bird hovering overhead, bringing an intimate ambience as it casts diffuse gradations of soothing light through its translucent diffuser.

Pendants

1575

Ø 45 cm

1580

Ø 9 cm

1585

Ø 45 cm

1590

Ø 45 cm

Option A

Option B


Option C



Three options of installation



1575



Finishes
 ● 11/ _ _ Black (NCS S 8500-N)

LED Colour Temperature
 /1 _ 2700 K CRI >90 726 lm 124 lm/W

Control

1575 _ _ / _ 1 DALI-2	790,00 €
1575 _ _ / _ B Push; 1-10V	750,00 €
1575 _ _ / _ Z Casambi	870,00 €

Materials
 Diffuser: PMMA. Rods: Stainless steel.
 Body: Aluminum. Canopy: ABS.

Light Source and electronics
 2 x LED 3W 175 mA
 Constant current 350 mA
 110-240Vac 50/60Hz


Packaging
 2 Boxes
 Box 1: 0,07 x 0,07 x 1,25 m
 Box 2: 0,51 x 0,51 x 0,16 m
 Total Vol 0,0478 m³
 Gross weight 5,5 Kg Net weight 4 Kg

Notes
 Additional cable length personalisation 16,00 €/m

LED IP20 Bi-volt

Select Electrical connection
 _10 Surface
 _23 Built-in XS

1580



Finishes
 ● 11/ _ _ Black (NCS S 8500-N)

LED Colour Temperature
 /1 _ 2700 K CRI >90 726 lm 124 lm/W

Control

1580 _ _ / _ 1 DALI-2	710,00 €
1580 _ _ / _ B Push; 1-10V	675,00 €
1580 _ _ / _ Z Casambi	795,00 €

Materials
 Diffuser: PMMA. Rods: Stainless steel.
 Body: Aluminum. Canopy: ABS.

Light Source and electronics
 2 x LED 3W 175 mA
 Constant current 350 mA
 110-240Vac 50/60Hz


Packaging
 2 Boxes
 Box 1: 0,068 x 0,068 x 1,25 m
 Box 2: 0,20 x 0,21 x 0,13 m
 Total Vol 0,0112 m³
 Gross weight 4 Kg Net weight 3 Kg

Notes
 Additional cable length personalisation 16,00 €/m

LED IP20 Bi-volt

Select Electrical connection
 _10 Surface
 _23 Built-in XS

1585



Finishes
 ● 11/ _ _ Black (NCS S 8500-N)

LED Colour Temperature
 /1 _ 2700 K CRI >90 726 lm 124 lm/W

Control

1585 _ _ / _ 1 DALI-2	765,00 €
1585 _ _ / _ B Push; 1-10V	725,00 €
1585 _ _ / _ Z Casambi	845,00 €

Materials
 Diffuser: PMMA. Rods: Stainless steel.
 Body: Aluminum. Canopy: ABS.

Light Source and electronics
 2 x LED 3W 175 mA
 Constant current 350 mA
 110-240Vac 50/60Hz

Packaging
 2 Boxes
 Box 1: 0,07 x 0,07 x 1,25 m
 Box 2: 0,51 x 0,51 x 0,16 m
 Total Vol 0,0478 m³
 Gross weight 5,5 Kg Net weight 4 Kg

Notes
 Additional cable length personalisation 16,00 €/m

LED IP20 Bi-volt


Select Electrical connection
 _10 Surface
 _23 Built-in XS


1590

Finishes
 ● 11/ _ _ Black
 (NCS S 8500-N)

LED Colour Temperature
 /1 _ 2700 K 
 CRI>90 1152 lm 132 lm/W

Control
 1590 _ _ / _ 1 1.045,00 €
 DALI-2
 1590 _ _ / _ B 995,00 €
 Push; 1-10V
 1590 _ _ / _ Z 1.115,00 €
 Casambi

 Select Electrical connection
 _10 Surface
 _23 Built-in XS



Materials
 Diffuser: PMMA. Rods: Stainless steel.
 Body: Aluminum. Canopy: ABS.

Light Source and electronics
 3 x LED COB 3W 185 mA
 Constant Current 550 mA
 110-240Vac 50/60Hz

Packaging
 2 Boxes
 Box 1: 0,07 x 0,07 x 1,60 m
 Box 2: 0,51 x 0,51 x 0,16 m
 Total Vol 0,0494 m³
 Gross weight 6,5 Kg Net weight 5 Kg

Notes
 Additional cable length
 personalisation 16,00 €/m

Electrical connection options

Choose your preferred installation option according to your needs.

Drop ceiling

Regular ceiling

_23 Built-in XS

_10 Surface



Ø 8 cm
 height 6 cm
 black finish.



Ø 10 cm
 black finish.




Item coding

Some pendant models offer different electrical connection typology, these will require additional coding.

ITEM CODING

Reference



Model 4 digits Finish 2 digits LED Colour Temperature 1 digit Control 1 digit Electrical connection 2 digits

Type	Model
0 Without LED	0 Basic
1 2700 K	1 Micro
2 3000 K	2 XXS
3 3500 K	3 XS
4 4000 K	4 S
7 2200 K	5 M
8 Tunable White	6 L
9 Tunable Red	8 Free wire
A TW + RGB	9 Mud kit
B 2700 + RGB	
C 3000 + RGB	
F Dim to Warm	
0 On/ Off	
1 DALI	
2 0-10V	
3 1-10V	
4 TRIAC	
5 Push	
6 Sensor	
7 Lutron	
8 Push 2	
A Push; 1-10V; DALI	
B Push; 1-10V	
C 1-10V; DALI	
D Push; DALI	
E Casambi PTP; On/ Off	
F Simultaneous line Push 1-10V; DALI; Casambi	
M Without driver	
W Wiz	
Y Protopixel	
Z Casambi *	

Infinite colour

* Casambi refers to wireless dimming solutions. Ask for more information.

Should you need a non-standard product. Please, request sales conditions.

Very important

Vibia Lighting S.L.U. has the right to change any model or finish of the products included in the picture catalogue without any previous notice.

Vibia Lighting, S.L.U.

Office

Progrés 4-6.
08850 Gavà (Barcelona).
International Tel +34 934 796 971.

customer.service@vibia.com
vibia.com

COPYRIGHT© VIBIA LIGHTING S.L.U. ALL RIGHTS RESERVED.

