

## ATTIC



## Description

Aluminium and stainless steel. Painted white RAL 9010, black RAL 9005. Inner shade is always white. Diffuser in microprism or honeycomb louvre. Other colours on request.

## LED info

System power: W. Luminaire Luminous Flux: LM. CCT 3000K. SDCM 3. CRI . L70/55000H. Can be delivered with 2700K, 4000K on request.

## Installation

I In ceiling-hook. Incl. ceiling cup.

## Connection

DCL-plug or terminal block in ceiling cup.

## Design

Thomas Bernstrand 2025.

ART	DESCRIPTION		PRICE/EUR
12210101-30	ATTIC pendant D524 micro white	IP20 LED/W/LM/3000K	770,00
12210101D30	ATTIC pendant D524 micro white	IP20 LED/W/LM/3000K DALI	823,20
12210106-30	ATTIC pendant D524 micro black	IP20 LED/W/LM/3000K	770,00
12210106D30	ATTIC pendant D524 micro black	IP20 LED/W/LM/3000K DALI	823,20
12211101-30	ATTIC pendant D524 honeycomb white	IP20 LED/W/LM/3000K	868,00
12211101D30	ATTIC pendant D524 honeycomb white	IP20 LED/W/LM/3000K DALI	821,20
12211106-30	ATTIC pendant D524 honeycomb black	IP20 LED/W/LM/3000K	868,00
12211106D30	ATTIC pendant D524 honeycomb black	IP20 LED/W/LM/3000K DALI	821,20

## CORKA



## Description

Natural cork in three different patterns. Linen cable natural or black. Excl. lightsource

## Installation

I In ceiling-hook. Incl. ceiling cup.

## Connection

DCL-plug or terminal block in ceiling cup.

## Design

Samuel Wilkinson 2025.

ART	DESCRIPTION	CABLE		PRICE/EUR
16250171	Corka pendant D168 natur/natur	Linen natur	IP20 GU10/max 7W	210,00
16251171	Corka pendant D168 natur/black	Linen black	IP20 GU10/max 7W	210,00
16250172	Corka pendant D168 brown/natur	Linen natur	IP20 GU10/max 7W	210,00
16251172	Corka pendant D168 brown/black	Linen black	IP20 GU10/max 7W	210,00
16250173	Corka pendant D168 mix/natur	Linen natur	IP20 GU10/max 7W	210,00
16250173	Corka pendant D168 mix/black	Linen black	IP20 GU10/max 7W	210,00

## RECOMENDED LIGHTSOURCE G9

L70073	GU10/4,8W/355LM/2700K	Dimbar/Dimmable
L70074	GU10/6,2W/575LM/3000K	Dimbar/Dimmable
L70096	GU10/4,9W/380LM/4000K	Dimbar/Dimmable

## EVY



### Description

Oiled ash veneer. Diffuser in matt acrylic. Internal flowerpot in aluminium. Excl. plant. Can be stained on request. With incorporated LED module/driver or incl LED lightsource Gx53.

### LED info

System power 9W. Luminaire Luminous Flux 835LM. CCT 3000K. SDCM 3. CRI >80. L80 B10 72.000 h.  
Lightsource Gx53: 4,9W/422LM. 2700K. CRI >80. 25.000 h.

### Installation

3 x wire from ceiling, incl wire fittings, incl ceiling-cup.

### Connection

DCL-plug or terminal block in ceiling cup.

### Design

Formateket 2025.

ART	DESCRIPTION	PRICE/EUR
<b>LED MODULE</b>		
12225132-30	EVY pendant oiled ash IP20 LED/9W/835LM/3000K	668,57
12225132D30	EVY pendant oiled ash IP20 LED/9W/835LM/3000K Dali	707,14
<b>Gx53 LED ljuskälla on/off.</b>		
1222573	EVY pendant oiled ash IP20 Gx53/Max 5W	587,14
<b>RECOMENDED LIGHTSOURCE Gx53</b>		
L70115	LED Gx53 4,9W/422Lm/2700K/CRI80	16,10

## LOUD



### Description

Painted steel in white RAL 9010 or svart RAL 9005. Other colours on request. Fixed pendant tube up to 1000 mm as standard. Other lengths on request. Diffuser: Downlight model - matt acrylic and honecomb louvre. Uplight model - matt acrylic.

### LED info

System power W. Luminaire Luminous Flux LM. CCT 3000K. SDCM 3. CRI >80. L80 B10 72.000 h.

### Installation

1 takkrok, inkl takkopp.

### Connection

Kopplingsplint i takkopp.

### Design

Adam Palm 2025.

ART	DESCRIPTION	PRICE/EUR
<b>DOWNLIGHT</b>		
12400101-30	LOUD pendant downlight white D355/H1075 IP20 LED/W/LM/3000K	900,90
12400101D30	LOUD pendant downlight white D355/H1075 IP20 LED/W/LM/3000K Dali	949,90
12400106-30	LOUD pendant downlight black D355/H1075 IP20 LED/W/LM/3000K	900,90
12400106D30	LOUD pendant downlight black D355/H1075 IP20 LED/W/LM/3000K Dali	949,90
<b>UPLIGHT</b>		
12401101-30	LOUD pendant uplight white D355/H575 IP20 LED/W/LM/3000K	770,00
12401101D30	LOUD pendant uplight white D355/H575 IP20 LED/W/LM/3000K Dali	819,00
12401106-30	LOUD pendant uplight black D355/H575 IP20 LED/W/LM/3000K	770,00
12401106D30	LOUD pendant uplight black D355/H575 IP20 LED/W/LM/3000K Dali	819,00

## SPRINKLE TABLE LAMP



### Description

Painted steel. Painted ostronvit RAL 1013, svart RAL 9005, blå RAL 2806035, röd RAL 1013, okravitt RAL 1024, brun RAL 070420. Other colours on request. Model with table base; Textile cable in matching colour.

### LED info

Including LED lightsource 3,7W, G9, 4,9W CRI 80 2700K. 15.000 h.

### Installation

With table base or fitting through table-top.

### Connection

With table base: 2,5 m cable with switch and plug.

Through table-top: 2,5 m cable with plug.

### Design

Note Design Studio 2025.

ART	DESCRIPTION		PRICE/EUR
12310106	SPRINKLE table black	IP20/LED/G9/Max 4w	442,40
12310107	SPRINKLE table red	IP20/LED/G9/Max 4w	442,40
12310108	SPRINKLE table blue	IP20/LED/G9/Max 4w	442,40
12310109	SPRINKLE table oysterwhite	IP20/LED/G9/Max 4w	442,40
12310145	SPRINKLE table brown	IP20/LED/G9/Max 4w	442,40
12310155	SPRINKLE table orche yellow	IP20/LED/G9/Max 4w	442,40
12310184	SPRINKLE table zinc	IP20/LED/G9/Max 4w	442,40
12312106	SPRINKLE through table black	IP20/LED/G9/Max 4w	355,60
12312107	SPRINKLE through table red	IP20/LED/G9/Max 4w	355,60
12312108	SPRINKLE through table blue	IP20/LED/G9/Max 4w	355,60
12312109	SPRINKLE through table oysterwhite	IP20/LED/G9/Max 4w	355,60
12312145	SPRINKLE through table brown	IP20/LED/G9/Max 4w	355,60
12312155	SPRINKLE through table orche yellow	IP20/LED/G9/Max 4w	355,60
12312184	SPRINKLE through table zinc	IP20/LED/G9/Max 4w	355,60

### RECOMENDED LIGHTSOURCE G9

L70116 LED G9/3,7W/470LM/2700K/CRI80

Zero Lighting, Friluftsvagen 2,, 382 34 Nybro, Sweden  
Tel: +46 (0) 481 800 00  
info@zero.se www.zero.se  
Showroom Stockholm:  
Södermalmsallén 36, Tel:08-545 850 00

